NATIONAL PLUMBING & NVAC ESTIMATOR

By James A. Thomson

Includes inside the back cover:



- An estimating CD with all the costs in this book, plus,
- An estimating program that makes it easy to use these costs,
- An interactive video guide to the National Estimator program,
- A program that converts your estimates into invoices,
- A program that exports your estimates to QuickBooks Pro.

Quarterly price updates on the Web are free and automatic all during 2013. You'll be prompted when it's time to collect the next update. A connection to the Web is required.

Download all of Craftsman's most popular costbooks for one low price with the Craftsman Site License. http://CraftsmanSiteLicense.com



- Turn your estimate into a bid.
- Turn your bid into a contract.
- ConstructionContractWriter.com



Craftsman Book Company

6058 Corte del Cedro / P.O. Box 6500 / Carlsbad, CA 92018

Acknowledgments

The sample "Standard Form Subcontract" and "Subcontract Change Order" forms used in the final section of this book are reprinted with the permission of the publisher, the Associated General Contractors of America (National Office), 1957 E Street NW, Washington, District of Columbia 20006.

Looking for other construction reference manuals?

Craftsman has the books to fill your needs. **Call toll-free 1-800-829-8123** or write to Craftsman Book Company, P.O. Box 6500, Carlsbad, CA 92018 for a **FREE CATALOG** of over 100 books, including how-to manuals, annual cost books, and estimating software.

Visit our Web site: http://www.craftsman-book.com

Contributing Editor: Walter James O'Brien

Cover design by: *Bill Grote* Photos: *Shutterstock*

© 2012 Craftsman Book Company

ISBN 978-1-57218-283-7

Published October 2012 for the year 2013.

Contents

How to Use This Book5	Fire Protection Equipment17	⁷ 4
	Fire Protection Sprinkler Pipe and Fittings	
Plumbing Equipment	(Roll Grooved)17	' 6
Domestic Hot Water Heaters19	Fire Protection Branch Pipe & Fittings	30
Water Softeners22	Fire Protection Sprinkler Pipe and	
Kitchen Equipment25	Fittings (CPVC)	33
Kitchen Equipment Connections26		
Plumbing Fixtures	HVAC Equipment	
Plumbing Fixture Rough-In	Commercial Boilers18	35
	Commercial Boiler Connections) 0
Piping Systems	Commercial Boiler Components and	
Copper Pipe, Type K with Brazed Joints33	Accessories19)2
Copper Pipe, Type K with Soft-Soldered Joints43	Centrifugal Pumps and Pump Connections 20)6
Copper Pipe, Type L with Brazed Joints 53	Heat Exchangers and Connections20)7
Copper Pipe, Type L with Soft-Soldered Joints62	Fan Coil Units and Connections)8
Copper Pipe, Type M with Brazed Joints 71	Reheat Coils and Connections)9
Copper Pipe, Type M with Soft-Soldered Joints80	Unit Heaters and Connections	10
Copper Pipe, Type K & L	Chillers and Chiller Connections	11
with Roll Grooved Joints	Condensing Units and Cooling Towers	12
PVC, Schedule 40, with Solvent-Weld Joints 91	Cooling Towers and Cooling Tower	
PVC, Schedule 80, with Solvent-Weld Joints101	Connections	13
Polyethylene-Aluminum Pipe with Crimped Joints111		
Polyothylana Aluminum Dina	Steel Piping Systems	
Polyethylene-Aluminum Pipe with Compression Joints	Carbon Steel, Schedule 40 with	
Plumbing and Piping Specialties119	150# Fittings & Butt-Welded Joints21	4
Cast Iron, DWV, Service Weight, No-Hub	Carbon Steel, Schedule 40 with	
with Coupled Joints135	150# M.I. Fittings & Threaded Joints22	23
Cast Iron, DWV, Service Weight,	Carbon Steel, Schedule 5 with Pressfit Fittings	21
Hub & Spigot with Gasketed Joints141	Carbon Steel, Schedule 80 with) '
Copper, DWV, with Soft-Soldered Joints 146	300# Fittings & Butt-Welded Joints23	37
ABS, DWV with Solvent-Weld Joints150	Carbon Steel, Schedule 80 with	
PVC, DWV with Solvent-Weld Joints154	300# M.I. Fittings & Threaded Joints24	‡7
PVC, DWV with Gasketed Bell and	Carbon Steel, Schedule 160 with	
Spigot Joints	3,000-6,000# Fittings)5
Polypropylene, Schedule 40, with Heat-Fusioned Joints164	Carbon Steel, Schedule 40 with Roll-Grooved Joints	36
	Carbon Steel, Schedule 10 with	,
Floor, Area, Roof and Planter Drains168	Roll-Grooved Joints	73
Cleanouts169	Carbon Steel, Schedule 40 with	
	Cut-Grooved Joints	30
Fire Protection	Residential HVAC Assemblies	36
Fire Protection Sprinklers	Air Handling Unit Accessories29	3 0

Buy this complete title here: https://goo.gl/tBOKL8

Heat Recovery Ventilators - Commercial291	Fiberglass Pipe Insulation397
Heat Recovery Ventilators - Residential 292	Calcium Silicate Pipe Insulation with
Water Coil Piping294	Aluminum Jacket399
Air Handling Unit Coil Connections297	Closed Cell Elastomeric Pipe Insulation400
Gas-Fired Furnaces299	Thermal Duct Insulation
Wall Furnaces300	Balancing of HVAC Systems402
Unit Heaters	Temperature Controls
Infrared Heaters304	
Heat Pump Systems305	Ductile Iron Pipe Systems
Water Pump Systems	Ductile Iron, Class 153, Cement-Lined with
Geothermal/Domestic Water Wells316	Mechanical Joints
Biomass-Fired Boilers	Ductile Iron, Class 153, Double Cement-Lined with Mechanical Joints
Fans and Blowers	Ductile Iron, Class 110, Cement-Lined with
Ventilators & Residential Exhaust Fans 326	Mechanical Joints411
Apparatus Housing	
.,	Cast Iron, Class 150 with Mechanical Joints412
Air Devices, Registers & Grilles	Asbestos-Cement, Class 2400 or 3000 with
Air Devices, Diffusers & Grilles	Mechanical Joints
Terminal Units (VAV)	Fiberglass Tanks415
Ducting Systems	Plastic Tanks
Ductwork Specialties	Trenching
Galvanized Steel Ductwork344	Equipment Rental420
Installed Ductwork Per Pound346	Close-Out Items421
Galvanized Steel Spiral Ductwork348	HVAC & Plumbing Demolition
Galvanized Steel Round Spiral Fittings349	
Galvanized Steel Rectangular Ductwork351	Budget Estimating435
Galvanized Steel Rectangular	Forms and Letters
90 Degree Elbows	Change Estimates
Galvanized Steel Spiral Duct Fittings	Subcontract Forms
Galvanized Steel Spiral Tees	Purchase Orders451
Galvanized Steel Spiral Crosses366	Construction Schedules
Galvanized Steel Rectangular Ductwork 369	Letter of Intent
Galvanized Steel Rectangular Elbows 381	Submittal Data458
Galvanized Steel Drops and Tees391	Billing Breakdown Worksheet
Galvanized Steel Round Ductwork	
Fiberglass Ductwork	Index463

How to Use This Book

This 2013 National Plumbing & HVAC Estimator is a guide to estimating labor and material costs for plumbing, heating, ventilating and air conditioning systems in residential, commercial and industrial buildings.



Inside the back cover of this book you'll find an envelope with a com-

pact disk. The disk has National Estimator, an easy-to-use estimating program with all the cost estimates in this book. Insert the CD in your computer and wait a few seconds. Installation should begin automatically. (If not, click Start, Settings, Control Panel, double-click Add/Remove Programs and Install.) Select Show Me from the installation menu and Dan will show you how to use National Estimator. When Show Me is complete, select Install Program. When the National Estimator program has been installed, click Help on the menu bar, click Contents, click Print all Topics, click File and click Print Topic to print a 40-page instruction manual for National Estimator.

Costs in This Manual will apply within a few percent on a wide variety of projects. Using the information given on the pages that follow will explain how to use these costs and suggest procedures to follow when compiling estimates. Reading the remainder of this section will help you produce more reliable estimates for plumbing and HVAC work.



Manhour Estimates in This Book will be accurate for some jobs and inaccurate for others. No manhour estimate fits all jobs because every construction project is unique. Expect installation times to vary

widely from job to job, from crew to crew, and even for the same crew from day to day.

There's no way to eliminate all errors when making manhour estimates. But you can minimize the risk of a major error by:

- Understanding what's included in the manhour estimates in this book, and
- 2. Adjusting the manhour estimates in this book for unusual job conditions.

The Craft@Hrs Column. Manhour estimates in this book are listed in the column headed Craft@Hrs. For example, on page 19 you'll see an estimate for installing a 6 gallon hot water heater. In the Craft@Hrs column opposite 6 gallon you'll see:

P1@.500

To the left of the @ symbol you see an abbreviation for the recommended work crew.

Page 7 shows the wage rates and craft codes used in this book.

To the right of the @ symbol you see a number. The number is the estimated manhours (not crew hours) required to install each unit of material listed. In the case of a 6 gallon hot water heater, P1@.500 means that .500 manhours are required to install 1 hot water heater.



Costs in the Labor \$ Column are based on manhour estimates in the Craft@Hrs column. Multiply the manhour estimate by the assumed hourly labor cost to find the instal-

lation cost in the *Labor* \$ column. For example, .500 manhours times \$35.16 (the average wage for crew P1) is \$17.58, or \$17.60 rounded.

Quarterly price updates on the Web are free and automatic all during 2013. You'll be prompted when it's time to collect the next update. A connection to the Web is required.

Manhour Estimates include all productive labor normally associated with installing the materials described. These estimates assume normal conditions: experienced craftsmen working on reasonably well planned and managed new construction with fair to good productivity. Labor estimates also assume that materials are standard grade, appropriate tools are on hand, work done by other crafts is adequate, layout and installation are relatively uncomplicated, and working conditions don't slow progress.

All manhour estimates include tasks such as:

- Unloading and storing construction materials, tools and equipment on site.
- Working no more than two floors above or below ground level.
- Working no more than 10 feet above an uncluttered floor.
- Normal time lost due to work breaks.
- Moving tools and equipment from a storage area or truck not more than 200 feet from the work area.
- Returning tools and equipment to the storage area or truck at the end of the day.
- Planning and discussing the work to be performed.
- Normal handling, measuring, cutting and fitting.
- Regular cleanup of construction debris.
- Infrequent correction or repairs required because of faulty installation.

National Plumbing & HVAC Estimator

If the work you're estimating won't be done under these conditions, you need to apply a correction factor to adjust the manhour estimates in this book to fit your job.

Applying Correction Factors. Analyze your job carefully to determine whether a labor correction factor is needed. Failure to consider job conditions is probably the most common reason for inaccurate estimates.

Use one or more of the recommended correction factors in Table 1 to adjust for unusual job conditions. To make the adjustment, multiply the manhour estimate by the appropriate conversion factor. On some jobs, several correction factors may be needed. A correction factor less than 1.00 means that favorable working conditions will reduce the manhours required.



Supervision Expense to the installing contractor is not included in the labor cost. The cost of supervision and non-productive labor varies widely from job to job. Calculate the cost of supervision and non-productive labor and add this to the estimate.

Hourly Labor Costs also vary from job to job. This book assumes an average manhour labor cost of \$41.27 for plumbers and \$40.43 for sheet metal workers. If these hourly labor costs are not accurate for your jobs, adjust the labor costs up or down by an appropriate percentage. Instructions on the next page explains how to make these adjustments. If you're using the National Estimator disk, it's easy to set your own wage rates.

Hourly labor costs in this book include the basic wage, fringe benefits, the employer's contribution to welfare, pension, vacation and apprentice funds, and all tax and insurance charges based on wages. Table 2 at the top of the next page shows how hourly labor costs in this book were calculated. It's important that you understand what's included in the figures in each of the six columns in Table 2. Here's an explanation:

Column 1, the base wage per hour, is the craftsman's hourly wage. These figures are representative of what many contractors are paying plumbers, sheet metal workers and helpers in 2013.

Column 2, taxable fringe benefits, includes vacation pay, sick leave and other taxable benefits. These fringe benefits average about 5.15% of the base wage for many plumbing and HVAC contractors. This benefit is in addition to the base wage.

	Correction
Condition	Factor
Work in large open areas, no partitions	.85
Prefabrication under ideal conditions,	20
bench work	.90
Large quantities of repetitive work	.90
Very capable tradesmen	.95
Work 300' from storage area	1.03
Work 400' from storage area	1.05
Work 500' from storage area	1.07
Work on 3rd through 5th floors	1.05
Work on 6th through 9th floors	1.10
Work on 10th through 13th floors	1.15
Work on 14th through 17th floors	1.20
Work on 18th through 21st floors	1.25
Work over 21 floors	1.35
Work in cramped shafts	1.30
Work in commercial kitchens	1.10
Work above a sloped floor	1.25
Work in attic space	1.50
Work in crawl space	1.20
Work in a congested equipment room	1.20
Work 15' above floor level	1.10
Work 20' above floor level	1.20
Work 25' above floor level	1.30
Work 30' above floor level	1.40
Work 35' to 40' above floor level	1.50

Table 1 Recommended Correction Factors



Column 3, insurance and employer-paid taxes in percent, shows the insurance and tax rate for the craft workers. The cost of insurance in this column includes workers' compensation and contractor's

casualty and liability coverage. Insurance rates vary widely from state to state and depend on a contractor's loss experience. Note that taxes and insurance increase the hourly labor cost by approximately 30%. There is no legal way to avoid these costs.

Column 4, insurance and employer taxes in dollars, shows the hourly cost of taxes and insurance. Insurance and taxes are paid on the costs in both columns 1 and 2.

Column 5, non-taxable fringe benefits, includes employer paid non-taxable benefits such as medical coverage and tax-deferred pension and profit sharing plans. These fringe benefits average 4.55% of the base wage for many plumbing and HVAC contractors.

Column Number	1	2	3	4	5	6
		Taxable fringe benefits (at	Insurance and	Insurance and	Non-taxable fringe benefits (at	Total hourly
	Base wage	5.15% of	employer	employer	4.55% of	cost used in
Craft	per hour	base wage)	taxes (%)	taxes (\$)	base wage)	this book
Laborer	20.12	1.04	32.93%	6.97	0.92	29.05
Plumber	30.47	1.57	24.47%	7.84	1.39	41.27
Sheet Metal Worker	29.45	1.52	26.21%	8.12	1.34	40.43
Operating Engineer	29.86	1.54	25.42%	7.98	1.36	40.74
Sprinkler Fitter	29.93	1.54	25.28%	7.96	1.36	40.79
Electrician	29.86	1.54	20.04%	6.29	1.36	39.05
Cement Mason	25.22	1.30	23.35%	6.19	1.15	33.86

Craft Code	Crew Composition	per Manhour
ER	4 building plumbers, 2 building laborers, 1 operating engineer	37.70
SN	4 building sheet metal workers, 2 building laborers, 1 operating engineer	37.22
P1	1 building plumber and 1 building laborer	35.16
ST	1 sprinkler fitter	40.79
SK	4 sprinkler fitters, 2 building laborers, 1 operating engineer	37.43
SL	1 sprinkler fitter and 1 laborer	34.92
S2	1 building sheet metal worker, 1 building laborer	34.74
BE	1 electrician	39.05
CF	1 cement mason	33.86
SW	1 sheet metal worker	40.43

Table 2 Labor Costs Used in This Book

The employer pays no taxes or insurance on these benefits.

Column 6, the total hourly cost in dollars, is the sum of columns 1, 2, 4, and 5. The labor costs in Column 6 were used to compute costs in the Labor \$ column of this book.

Adjusting Costs in the Labor \$ Column. The hourly labor costs used in this book may apply within a few percent on many of your jobs. But wage rates may be much higher or lower in some areas. If the hourly costs shown in Column 6 of Table 2 are not accurate for your work, adjust labor costs to fit your jobs.

For example, suppose your hourly labor costs are as follows:

Plumber	\$19.00
Laborer	\$16.00
Total hourly crew cost	\$35.00

Your average cost per manhour would be \$17.50 (\$35.00 per crew hour divided by 2 because this is a crew of two).

A labor cost of \$17.50 is about 50% of the \$35.16 labor cost used for crew P1. Multiply costs in the Labor \$ column by .50 to find your estimated cost.

For example, notice on page 19 that the labor cost for installing a 6 gallon hot water heater is \$17.60 each. If installed by your plumbing crew working at an average cost of \$17.50 per manhour, your estimated cost would be 50% of \$17.60 or \$8.80 per heater.

Adjusting the labor costs in this book will make your estimates much more accurate. Making adjustments to labor costs is both quick and easy if you use the National Estimator disk.

Equipment Cost will vary according to need and application. It typically is \$110 per hour for a 10-ton hydraulic truck-mounted crane.

Material Costs in this manual are intended to reflect what medium- to low-volume contractors will be paying in 2013 after applying normal discounts. These costs include charges for delivery to within 25 to 30 miles of the supplier.

Overhead and Profit for the installing contractor are not included in the costs in this manual unless specifically identified in the text. Markup can vary widely with local economic conditions, competition and the installing contractor's operating expenses. Add the markup that's appropriate for your company, the job and the competitive environment.

National Plumbing & HVAC Estimator

How Accurate Are These Figures? As accurate as possible considering that the editors don't know your material suppliers, haven't seen the plans or specifications, don't know what building code applies or where the job is, had to project material costs at least six months into the future, and had no record of how much work the crew that will be assigned to the job can handle.

You wouldn't bid a job under those conditions. And I don't claim that all plumbing and HVAC work is done at these prices.

Estimating Is an Art, not a science. There is no one price that applies on all jobs. On many jobs the range between high and low bid will be 10% or more. There's room for legitimate disagreement on what the correct costs are, even when complete plans and specifications are available, the date and site are established, and labor and material costs are identical for all bidders.

No estimate fits all jobs. Good estimates are custom made for a particular project and a single contractor through judgment, analysis and experience. This book is not intended as a substitute for judgment, analysis and sound estimating practice. It's an aid in developing an informed opinion of cost, not an answer book.

Additional Costs to Consider

Here's a checklist of additional costs to consider before submitting any bid.

- 1. Sales taxes
- 2. Mobilization costs
- 3. Payment and performance bond costs
- 4. Permits and fees
- 5. Storage container rental costs
- 6. Utility costs
- 7. Tool costs
- 8. Callback costs during warranty period
- 9. Demobilization costs

Exclusions and Clarifications

Neither the job specifications nor the contract may identify exactly what work should be included in the plumbing and HVAC bid. Obviously, you have to identify what work is included in the job.

The most efficient way to define the scope of the work is to prepare a list of tasks not normally performed by your company and attach that list to each bid submitted. Here's a good list of work that should be excluded from your bid.

Your Bid Should Exclude

Final cleaning of plumbing fixtures
Backings for plumbing fixtures
Toilet room accessories

Electrical work, including motor starters Electrical wiring and conduit over 100 volts

Temporary utilities

Painting, priming and surface preparation Structural cutting, patching or repairing Fire protection and landscape sprinklers Equipment supports

Surveying and layout of control lines
Removal or stockpiling of excess soil
Concrete work, including forming and rebar
Setting of equipment furnished by others
Equipment, unless shown, and personnel hoisting
Wall and floor blockouts

Pitch pockets

The costs of performance or payment bonds
Site utilities
Asbestos removal or disposal
Contaminated soil removal or disposal

Major increases in copper material prices Fire dampers not shown on the plans

Your Bid Should Include

Trash sweep-up only. Others haul it away
Site utilities from building to property line only
Piping to 5 feet outside the building only
Plumbing & HVAC permits for your work only

Beware of Price Changes

There's no way to be sure what prices will be in three to six months. All labor, equipment, material and subcontract prices in a bid should be based on costs anticipated when the project is expected to be built, not when the estimate is compiled. That

presents a problem. Except for the installation of underground utilities, most plumbing and HVAC work is done six months to a year after the bid is submitted. When possible, get price protection in writing from your suppliers and subcontractors. If your suppliers and subs won't guarantee prices, include an escalation allowance in your bid to cover anticipated price increases.

Material Pricing Conditions

All equipment and material prices quoted by your vendors will be conditional. They usually don't include sales tax and are subject to specific payment and shipping terms. Every estimator should understand the meaning of common shipping terms. They define who pays the freight and who has responsibility for processing freight-damage claims. Here's a summary of important conditions you should understand.

F.O.B. Factory (Free On Board at the Factory): Title passes to the buyer when the goods are delivered by the seller to the freight carrier. The buyer pays the freight and is responsible for freight-damage claims.

F.O.B. Factory F.F.A. (Free On Board at the Factory, Full Freight Allowed): The title passes to the buyer when the goods are delivered by the seller to the freight carrier. The seller pays the freight charges, but the buyer is responsible for freight-damage claims.

F.O.B. (city of destination) (Free On Board to your city): The title passes to the buyer when the goods are delivered by the seller to the freight terminal in the city, or nearest city, of destination. The seller pays the freight and is responsible for freight-damage claims to the terminal. The buyer pays the freight charge and is responsible for freight-damage claims from the terminal to the final destination.

F.O.B. Job Site (Free On Board at job site, or contractor's shop): The title passes to the buyer when the goods are delivered to the job site (or shop). The seller pays the freight and is responsible for freight-damage claims.

F.A.S. Port [of a specific city] (Free Alongside Ship at the nearest port): The title passes to the buyer when goods are delivered to the ship dock or port terminal. The seller pays the freight and is responsible for freight-damage claims to the ship dock or port terminal only. The buyer pays the freight and is responsible for freight-damage claims from the ship dock or port terminal to the designated delivery point.

Obviously, it's to your advantage to instruct all vendors to quote costs F.O.B. the job site or your shop.

Reducing Costs

Most construction specifications allow the use of alternative equipment and materials. It's the estimator's responsibility to select the most cost-effective products. Research and compare your costs before making any decisions. Avoid selecting any material or equipment simply because that's what you've always done.

Don't recommend plastic products such as ABS, PVC, or polypropylene pipe or corrugated flexible ducts until you've checked local code requirements. Most building codes prohibit use of these materials inside public buildings such as schools, care centers and hospitals.

It's wise to select 100% factory-packaged equipment. Beware of equipment labeled "Some assembly required." Field labor costs for mounting loose coils, motors and similar equipment are very high.

Value Engineering

Let's suppose you've submitted a combined plumbing and HVAC bid for \$233,000. Your cutthroat competitor put in a bid at \$4,000 less, \$229,000. Obviously there's no way you're going to get the job. Right?

Not so fast! Maybe value engineering can help you win that contract — while fattening your profit margin.

Suppose the proposal you submitted had two parts. Part I is the bid for \$233,000, based entirely on job plans and specs, just the way they were written. But appended to your proposal is Part II, a list of suggestions for saving money without sacrificing any of the capacity or quality designed into the system. Here's an example of what might be in Part II:

 Deduct for providing pipe hanger spacings per UPC in lieu of specified spacings:

\$1,750.00

- Deduct for reducing heating hot water pipe sizes by using 40 degrees F Delta T in lieu of specified 20 degrees F Delta T: \$4,600.00
- Deduct for providing pressure/temperature taps at air handling units, pumps and chillers in lieu of specified thermometers and pressure gauges:

\$875.00

National Plumbing & HVAC Estimator

- 4. Deduct for eliminating water treatment in closed piping systems: \$1,800.00
- Deduct for piping chilled and heating hot water pumps in parallel in lieu of providing 100% standby pumps: \$2,900.00

Total deductions:

\$11,925.00

Adopting these suggestions would make you low bidder by nearly \$8,000. A saving like that will be tempting to most owners, especially if the owner understands that your suggestions result in a system that is every bit as good and maybe better than the system as originally designed.

You're not offering to undercut the competition. Far from it. You're using knowledge and experience to create better value for the owner. That's called value engineering and it's likely to win the respect of nearly all cost-conscious owners.

Notice that reducing costs is only part of what value engineering is all about. You don't cut costs at the expense of system quality, integrity, capacity or performance.

Don't waste your time, and your client's, by offering to substitute cheaper or lower-quality fixtures or equipment. Any cutthroat contractor with a price list can do that. Recommend the use of inferior materials and you'll be associated with the inferior goods you promote. Some owners consider even the suggestion to be insulting.

The recommendations you make (like most of those in the example) will require design changes. You can expect to be examined (or even challenged) on these points. Be ready to explain and defend each of your suggestions. Convince the client (or the design engineer) that your ideas are based on sound engineering principles and you're well on the way to winning the owner's confidence and the contract.

Now, let's go back to the list and see how we might justify the five value engineering recommendations.

 Pipe Hanger Spacing. The pipe hanger spacings recommended in the Uniform Plumbing Code (UPC) are calculated by experienced, professional structural engineers. The safety factors used in these calculations are very conservative. They've been widely used for many years and have proved to be more than adequate. There's no need for more hangers than the UPC requires.

- 2. Changing HHW Delta T. In hydronic heating systems, heat measured in Btus is pumped to terminal units. The proposed change of the Delta T, from 20 degrees F to 40 degrees F, has no effect whatsoever on how many Btus the system delivers. You're not changing anything but the volume of water being pumped. At lower volume levels, the size of the pump, the pipe and the pipe insulation can all be reduced. Not one of these changes will affect the system's ability to transmit heat. Furthermore, operating costs will also drop, since less pump horsepower will be needed to run the smaller pump.
- 3. Thermometers/Pressure Gauges. Thermometers and pressure gauges installed on or near vibrating machinery have a very short life expectancy. Gauges quickly lose accuracy under harsh conditions. Readings will become less and less reliable. That's potentially dangerous. You can avoid this problem by using insertion-type pressure/temperature taps instead. Store these sensitive gauges in a desk drawer or a tool crib when not in use. Safely stored, they're protected from damage. They'll give accurate readings longer and won't need to be replaced as often. And they're simple to use. Just insert a gauge in one of the conveniently located taps. Make the reading, then remove the gauge and put it away.
- 4. Water Treatment. ITT Bell & Gossett has done studies on corrosion in closed hydronic systems that have a make-up water rate of no more than 5% per year. These studies show that corrosion virtually stops when entrained air is either removed or depleted. No water treatment is needed in this closed system.
- 5. 100% Standby Pumps. Two pumps piped and operated in parallel are more economical. Even if one pump fails, the other pump can maintain delivery at 75 to 80% of the designed flow rate. That's usually adequate for emergency operation.

These cost-saving ideas are small, but could tip the balance in your favor. I hope they demonstrate the potential that value engineering has when bidding jobs. Any time you're compiling an estimate, keep an eye out for ways to save money or reduce the owner's cost. Jot a note to yourself about each potential saving you identify. Before submitting the bid, make a list of your alternate suggestions. Maybe best of all, markup on your value engineering suggestions can be higher than your normal markup. If value engineering can cut costs by \$10,000, maybe as much as \$4,000 of that should end up in your pocket!

Value Engineering: Surplus Materials

Value engineering doesn't begin and end with job plans and specs. Value engineering means getting the most value at the least cost, no matter whether it's value to the owner or value to the contractor. Smart mechanical contractors learn to build extra value into their jobs by controlling shrinkage of materials. Nearly every significant plumbing and HVAC job ends with at least some surplus material on hand. Material left over when the job is done tends to be discarded as waste or hauled off the job in the back of a truck that doesn't have your company name on the door. And why not? It's surplus – not needed. The owner didn't need it. So now it's up for grabs.

Not quite. Let's consider who actually owns that surplus material. When your company has been paid. every piece of material your crew installed belongs to the building owner. But what about those fittings, hangers and valves delivered to the job site but never actually used? Almost certainly, those materials were included in your bid. So aren't they the property of the owner? Not in my opinion. The owner contracted for a mechanical system and (presumably) has one. Unless it's a cost-plus job or a labor-only job, the owner didn't buy materials delivered to the job site. The owner bought a mechanical system and has one - completely separate and apart from any surplus materials. In my mind, the property owner has no more claim to left-over materials than the same owner would have claim to labor hours not expended or equipment not used on the same job.

Unless there's some provision in your contract to the contrary, surplus material belongs to the installing contractor. But your right to that material and the chance of actually getting it back to your shop are two very different propositions. I see recovery of surplus material as a training issue. As a matter of company policy, make it clear to your crews that surplus material belongs to your company. The supervisor on every job should be accountable for recovery of excess material. Every significant job will have at least some surplus. Accounting for that surplus should be part of your routine close-out procedure. Fortunately, it's not difficult. I'll explain.

Control of surplus materials begins with a good checklist, or form. I recommend the Materials, Equipment and Tool form, "MET" for short. A blank MET form appears following this section. Your MET should show both what's delivered to the job site (material, equipment and tools) and surplus "drops" returned to your shop at project close-out. A MET

ensures that the estimator, the shop inventory manager and your field supervisor are on the same page. Your MET establishes accountability. Nothing falls through the cracks. Job input equals job output plus returns. Everything delivered to the job and not expended should be returned to your shop.

Here's how it works:

- Based on the estimate that won you the job, the items needed are purchased for the job and staged for delivery to the job site.
- As materials, equipment and tools are delivered to the job site, your supervisor completes the first three columns of the MET form: Description, Quantity and Date.
- As work is completed, the same supervisor completes the four columns under Returned to Inventory: Quantity Returned, Date, Status Code and Value. The status code will be either "RS" (Returned and Salvaged) or "RN" (Returned New).
- 4. Back at your shop, both RS and RN materials should be restored to inventory.
- 5. If your company has an inventory manager, have that manager assign the return value to each item returned. If you're using QuickBooks Pro, the "Adjust Inventory" feature can handle this task quite easily. Add two new categories under "Inventory Stock on Hand by Vendor." The first new category is Returned Salvage. The second is Returned New. Be sure the value of RS materials includes the cost of any reconditioning done to restore salvaged materials (such as pumps and boilers) to serviceable condition.
- Comparing MET deployed to the job site with MET returned to inventory yields MET actually used on the job. That's a very important number to every plumbing and HVAC estimator. Be sure actual usage gets entered on the Project Summary form.
- When the take-off on your next estimate is complete, compare that materials list with a summary of RS and RN materials on hand from prior jobs.
- 8. Evaluate which returned materials can be redeployed on the new job.
- 9. It's a management decision to either (1) charge the new job for the cost of RS and RN materials already on hand, or (2) consider materials on hand as "free" and a competitive advantage in winning the new bid. Either way, RN and RS materials are an asset to your company.

National Plumbing & HVAC Estimator

Plumbing and HVAC materials are expensive. Every mechanical contractor has an interest in MET tracking. Everyone in your company should be aware of the need for good materials management. Used correctly, the MET form in this book can help engineer more value into your jobs.

Maximizing the Value of Old Estimates

There should be two profits in every job. The first is money in the bank — a return on time and expenses. The second is what you learn from the job — primarily by comparing the estimate you made with what turns out to be your actual cost. On some jobs, the value of lessons learned may outweigh net revenue.

Every plumbing and HVAC contractor has marginal jobs. That's normal. What *shouldn't* be normal is repeating mistakes. The best way to avoid trouble in your future is to keep track of your past. Keeping old estimates available for reference can help prevent errors on new estimates.

As your file of completed estimates grows, organization becomes more important. You need an easy way to find similar projects with the same components and comparable scope of work. If your estimating file is in QuickBooks Pro, searching by keyword may be enough. Otherwise, I recommend creating a short summary for each completed job, and an index that references all summaries available for comparison. You'll find a blank Project Summary form at the end of this section. To make reference easier, create an index by type of job and equipment used. You may choose to use an alphabetical index based on client name or project ID.

How to complete the Project Summary form is obvious. The many ways to use this form may not be so obvious, so here are a few pointers.

1. Use your index of Project Summary forms to find completed jobs most similar to the job you're bidding. Believe it or not, Project Summary forms with the widest margin of error will be most useful. Ask yourself: Who worked on those projects? Who was the field superintendent? Who were the vendors? Did the errors result from poor estimating or the poor performance of vendors, supervisors or crews? The most common estimating errors occur when (a) inspecting the job site, (b) examining the plans or (c) reading the specifications. What did you miss and why? Look for pitfalls to avoid in the job now being estimated. Identify the biggest two or three mistakes made when bidding that job. Make a notation about each on the Project Summary form.

- Now look at your bid for the current job. Which
 mistakes made on a prior job might you expect on
 this job? Concentrate on the big three oversights
 to avoid: Inspecting the job site; examining the
 plans; and reading the specifications.
- 3. Unless there's a major error in take-off, your estimate of material costs should be within about 5 percent of the actual costs of materials. However, it's common for labor cost estimates to vary 20 percent or more from actual labor costs. This is precisely where data from old jobs comes in handy. If your Project Summary files show that some project types are consistent money-losers, either shift your company's focus to another class of work, factor more contingency into your bids, or find some way to wring inefficiencies out of the labor component. Poor staging, delivery and retrieval procedures drag down labor productivity on any job.
- 4. Use your file of Project Summary forms to spot any common thread that runs through either money-making jobs or money-losing jobs. For example, if the names of certain subcontractors or vendors are prominent on low-margin jobs, maybe there's a relationship between your profit margin and choice of subs and suppliers. Even the best and most reliable vendors can become complacent if not challenged occasionally.
- 5. Project Summary forms should note changes and extras identified after the contract was signed both for which your company was paid and changes done without additional compensation. Projects with changes and extras that exceed about 4 percent of the contract price deserve special scrutiny. Jobs with changes beyond about 4 percent aren't good for business, at least in my opinion. Nearly all changes have a negative impact on your job schedule and require a disproportionate investment of management resources. Too many changes can antagonize the owner and design staff, even if they were responsible for the altered plans. You may know of a mechanical contractor with a reputation for capitalizing on change orders. But I've rarely seen a job plagued with changes that turned into a money-maker for anyone — except the attorneys. Your file of Project Summary forms will show job types that carry change order risk. Before finalizing and submitting any bid, consider whether the job will get mired in disputes over changes and extras. If similar jobs have ended on the courthouse steps, factor that risk into your estimate.

Utility of a Project Summary forms file is limited only by your ingenuity. The important point is to keep and organize the source of your second profit available on every job. What you learn can be more valuable than what you earn.

The Estimating Procedure

Every plumbing and HVAC estimator works under deadline pressure. You'll seldom have the luxury of spending as much time as you would like on an estimate. Estimators who aren't organized waste valuable time and tend to make careless errors. Try to be well-organized and consistent in your approach to estimating. For most projects, I recommend that you follow the procedures listed below and in the order listed:

- Get a second set of project drawings and specifications for use by your suppliers and subcontractors. Remember that your subs and suppliers need access to the plans and specs and time to prepare their quotes.
- Study the plans and specs carefully. Highlight important items. Make a list of specific tasks that require labor unit correction factors. The estimate is never complete until you're totally familiar with the project and the applicable construction codes.
- Get the general contractor or owner to identify the proposed construction schedule and subcontractor lay-down (storage) area. Work schedule and site conditions always affect your costs.
- 4. Contact all potential suppliers and subcontractors as early as possible. Set a time when each can come to your office to make their take-offs from the spare set of contract documents.

When this important preliminary work is done, or in progress, it's time to begin your detailed take-off.

Guidelines for Good Estimating

You can compile estimates on a legal pad, a printed estimating form or on a computer. Regardless of the method, these guidelines will apply:

List Each Cost Separately on your take-off sheet. Don't combine system estimates, even if the materials are the same type. A combined system estimate may have to be completely redone if materials for one system are changed at a later date. Use the Estimate Detail Sheet on page 16 if you don't already have a good material take-off form.

Use Engineer's Identification Numbers when listing equipment. The word pump without any other description is ambiguous when there are several pumps included in the project.

Don't Forget Labor Adjustment factors if your labor costs are significantly higher or lower than the costs used in this book. See instructions on page 7 for adjusting labor costs.

Use Colored Pencils or highlighters to mark the items you've taken off and listed. Use a different color for each piping or ducting system.

Log Telephone Quotes and other important phone conversations on a telephone quote form. See the sample on page 18.

Project Estimated Costs for labor, material and equipment to the time when the work is expected to be done, not when the job is being estimated.

The only good estimate is a complete estimate. You've probably heard this saying, "He who makes the most mistakes is likely to be low bidder, and live to regret it."

Preparing the Proposal

It's both common courtesy and good business practice to deliver an unpriced copy of your bid or proposal letter to the general contractor three or four days before the bid deadline date. This gives the contractor time to study your proposal and obtain alternate pricing for items you may have excluded. To avoid misunderstandings, make sure your proposals include, as a minimum, the following elements:

- The complete name and address of the proposed project.
- 2. Specification title and issue date.
- A complete listing of drawings and their issue or revision date.
- A complete list of addenda and their dates of issue.
- 5. A list of specification section numbers covered by your proposal.
- 6. A list of exclusions, clarifications and assumptions.

Your final bid can be phoned in or sent by fax, but it should reach the general contractor or owner no more than five or ten minutes before the bid deadline. Prices submitted too early may have to be revised because of last-minute price changes by subcontractors or suppliers.

MET Worksheet

Material, Equipment and Tool Delivery and Surplus Return Record

Project ID	Job Location
Supervisor	Start Date

		ered to Site	R	eturned to	o Inventor	у
Description of Material, Equipment or Tool Delivered or Returned	Quantity Delivered	Date Delivered	Quantity Returned	Date Returned	Status Code RN or RS	Value at Return
			.0			
						

Buy this complete title here: https://goo.gl/tBOKL8

PROJECT SUMMARY

Project ID			Job Location			
Short description						
Supervisor						
Index ID			Start Date			
Estimator			Client			
Major vendors			Subcontractors			
Sources of cost deviation						
Related Projects by ID Number						
			?			
Thumbnail Summary	Labor	Material	Equipment	Subcontract	Deployed RN/RS	Total
Actual cost						
Estimate						
Over/(Under)						
Full Summary						
Bid amount						
Estimated cost						
Projected profit						
Cost overrun						
Bid profit						
Change orders						
Cost of changes						
Total profit						
Total profit with RN/RS						
Redeployment						
			_			

Estimate Detail Sheet

Data carried forward from Take-Off Quantity Survey Sheet(s)

10 · · · · · · · · · · · · · · · · · · ·													
Project						Checked by	by					Date	
Address					2	Notes:							
Job description	Estin	Estimate #_											
CSI Division/Account	Estin	Estimate due	4)										
		O	Crew @	Manhours		Materials	Lat	Labor	Equip	Equipment	Subcontract	ntract	
Item Description	Quantity Unit			Ext.	Unit \$	Ext. \$	Unit \$	Ext. \$	Unit \$	Ext. \$	Unit \$	Ext. \$	Total \$
					2	,							
							Ç						
							3	•					
							7						
									5				
Totals This Sheet			Manhours	ours	Mate	Material \$	Lab	Labor \$	Equip	Equipment \$	Subcontract \$	itract \$	Total \$
toolo moments of at browning clothet man of	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 0			# 0+0 cm;+0 L	# (č	40	toodo lioto O oto mito I		7	

Quotation Sheet


Job:			
Supplier:			
Salesperson:		Phone No:	
Per Plans/Specs:		Terms:	
			_
	escription	Delivery Time	Price
)		

Buy this complete title here: https://goo.gl/tBOKL8 Record of Telephone Conversation

Date:	Time:	Project:	
Telecon with:			
	ation:		
		.01	
By:			

Electric domestic hot water heater (residential). Set in place only (floor models). Make additional allowances for pipe and electrical connections. (See below)

,						
6 gallon						
1.5 KW/110V	P1@.500	Ea	361.00	17.60	_	378.60
10 gallon	D. O	_				
1.5 KW/110V	P1@.500	Ea	403.00	17.60	_	420.60
15 gallon						
1.5 KW/110V	P1@.750	Ea	425.00	26.40	_	451.40
20 gallon						
1.5 KW/110V	P1@.750	Ea	439.00	26.40		465.40
30 gallon						
1.5 KW/110V	P1@1.00	Ea	391.00	35.20	-	426.20
40 gallon				* . ()		
1.5 KW/110V	P1@1.20	Ea	410.00	42.20		452.20
50 gallon	C -					
3 KW/110V	P1@1.30	Ea	441.00	45.70	_	486.70
12 gallon	_					
3 KW/220V	P1@.500	Ea	355.00	17.60	_	372.60
20 gallon	_					
3 KW/220V	P1@.750	Ea	389.00	26.40	_	415.40
30 gallon	_					
3 KW/220V	P1@1.00	Ea	425.00	35.20	_	460.20
40 gallon	· ·					
3 KW/220V	P1@1.20	Ea	462.00	42.20		504.20
50 gallon		= ::				
3 KW/220V	P1@1.30	Ea	494.00	45.70	_	539.70
0 1 (V V / Z Z O V		_ ~				



Electric domestic hot water heater (commercial), 208/240 volt. Set in place only. Make additional allowances for pipe and electrical connections. (See below)

96 gallon, 12 kw	P1@1.50	Ea	1,970.00	52.70	_	2,022.70
96 gallon, 18 kw	P1@1.50	Ea	2,670.00	52.70	_	2,722.70
96 gallon, 36 kw	P1@1.50	Ea	2,770.00	52.70	_	2,822.70
120 gallon, 18 kw	P1@2.00	Ea	2,840.00	70.30	_	2,910.30
120 gallon, 36 kw	P1@2.00	Ea	2,920.00	70.30	_	2,990.30
120 gallon, 54 kw	P1@2.00	Ea	3,470.00	70.30	_	3,540.30
120 gallon, 63 kw	P1@2.00	Ea	3,740.00	70.30		3,810.30

Gas-fired domestic hot water heater (residential). Set in place only, Make additional allowances for pipe and combustion venting connections. (See below)

20.011)						
30 gallon	P1@1.00	Ea	415.00	35.20	_	450.20
40 gallon	P1@1.00	Ea	672.00	35.20	_	707.20
50 gallon	P1@1.50	Ea	762.00	52.70	_	814.70



Gas-fired domestic hot water heater (commercial), standard efficiency. Set in place only, Make additional allowances for pipe and combustion venting connections. (See below)

50 gal./ 95 gph	P1@2.00	Ea	1,950.00	70.30	_	2,020.30
67 gal./106 gph	P1@2.00	Ea	2,310.00	70.30	_	2,380.30
76 gal./175 gph	P1@2.00	Ea	3,100.00	70.30	_	3,170.30
91 gal./291 gph	P1@2.00	Ea	3,730.00	70.30	_	3,800.30

Gas-fired domestic hot water heater (commercial), energy miser. Set in place only, Make additional allowances for pipe and combustion venting connections. (See below)

50 gal./ 95 gph	P1@2.00	Ea	4,600.00	70.30	_	4,670.30
67 gal./106 gph	P1@2.00	Ea	4,810.00	70.30	_	4,880.30
76 gal./175 gph	P1@2.00	Ea	5,960.00	70.30	_	6,030.30
91 gal./291 gph	P1@2.00	Ea	7,080.00	70.30	_	7,150.30

Tankless natural gas water heaters. Ambient pressure. DOE and UL rated. For residential, multi-dwelling and light commercial potable water applications. Add the cost of piping, tempering valve, circulating pump, controls, and electrical connection, post-installation inspection by both the fire marshal and the mechanical inspector to validate federal, state and local energy tax credits or energy tax credit offsets. For larger arrays (laundries, institutional facilities, food processing plants), develop an estimate based on the required capacity and multiply these costs by the number of heaters required. Rated in Btus and gallons per minute capacity. (1 Mbh = 1,000 Btus)



19.5-140 Mbh,						
.75-5.8 Gpm	P1@16.0	Ea	1,600.00	563.00		2,163.00
11-199 Mbh,						
.5-7 Gpm	P1@20.0	Ea	1,880.00	703.00	_	2,583.00
25-235 Mbh						
.75-9.6 Gpm	P1@20.0	Ea	1,880.00	703.00	_	2,583.00

Tankless electric point-of-use water heaters. Ambient pressure, DOE and UL rated. For residential, multi-dwelling and light commercial potable water applications. Cost does not include piping, tempering valve, circulating pump, controls, storage tank, electrical connection. Add the cost of post-installation inspection by the mechanical inspector to validate federal, state and local energy tax credits or energy tax credit offsets. In rated gallons per minute capacity.



5.5 Kw/40 Amp,						
.75-2 Gpm	P1@4.00	Ea	406.00	141.00	_	547.00
9.5 Kw/50 Amp						
.75-2.5 Gpm	P1@4.25	Ea	482.00	149.00	_	631.00
19 Kw/100 Amp						
1-3.5 Gpm	P1@4.50	Ea	799.00	158.00	_	957.00
28 Kw/120 Amp						
1.5-5 Gpm	P1@4.75	Ea	1,460.00	167.00	_	1,627.00

Domestic hot water heater connection assembly. Includes supply, return, recirculation and relief piping and fittings (copper), relief and isolation valves. Make additional allowances for gas and venting connections where applicable.

3/4" residential	P1@1.75	Ea	308.00	61.50		369.50
3/4" commercial	P1@2.25	Ea	414.00	79.10	_	493.10
1" commercial	P1@2.75	Ea	726.00	96.70	_	822.70
11/4" commercial	P1@3.50	Ea	890.00	123.00	_	1,013.00
11/2" commercial	P1@3.75	Ea	925.00	132.00	_	1,057.00
2" commercial	P1@4.50	Ea	989.00	158.00	_	1,147.00
21/2" commercial	P1@5.75	Ea	2,060.00	202.00	_	2,262.00
3" commercial	P1@6.50	Ea	3,150.00	229.00	-	3,379.00

Domestic water heater combustion vent connection. Make additional allowances for piping distances greater than 25'.

2" B-vent	P1@.090	LF	5.78	3.16	_	8.94
3" B-vent	P1@.100	LF	7.15	3.52	_	10.67
4" B-vent	P1@.110	LF	9.52	3.87	_	13.39
6" B-vent	P1@.130	LF	10.80	4.57	_	15.37
Tankless heater						
vent kit	P1@2.50	Ea	406.00	87.90		493.90
Power vent kit	P1@2.00	Ea	1,040.00	70.30	_	1,110.30

Water softener, time clock controller. Including brine tank, brine well and pick-up tube. Labor includes setting in place, connecting the unit to an existing domestic water distribution system, start up and testing.

20,000 grain water softener,								
TCC	P1@4.50	Ea	515.00	158.00	_	673.00		
30,000 grain wa	ter softener,							
TCC	P1@4.50	Ea	549.00	158.00	_	707.00		
45,000 grain wa	ter softener,							
TCC	P1@4.50	Ea	610.00	158.00		768.00		
50,000 grain wa	ter softener,							
TCC	P1@4.75	Ea	689.00	167.00	_	856.00		
60,000 grain wa								
TCC	P1@4.75	Ea	813.00	167.00	_	980.00		
75,000 grain wa	ter softener,			*. (/)				
TCC	P1@5.00	Ea	872.00	176.00		1,048.00		
90,000 grain wa	ter softener,							
TCC	P1@5.50	Ea	1,180.00	193.00		1,373.00		
120,000 grain w	ater softener,							
TCC	P1@5.75	Ea	1,270.00	202.00	_	1,472.00		

Water softener, mechanically metered controller. Including brine tank, brine well and pick up tube. Labor includes setting in place, connecting the unit to an existing domestic water distribution system, start up and testing.

20,000 grain water softener,								
MMC	P1@4.50	Ea	668.00	158.00	_	826.00		
30,000 grain wa	ter softener,							
MMC	P1@4.50	Ea	697.00	158.00		855.00		
45,000 grain wa	ter softener,							
MMC	P1@4.50	Ea	759.00	158.00		917.00		
50,000 grain wa	ter softener,							
MMC	P1@4.75	Ea	836.00	167.00	_	1,003.00		
60,000 grain wa	ter softener,							
MMC	P1@4.75	Ea	977.00	167.00	_	1,144.00		
75,000 grain wa	ter softener,							
MMC	P1@5.00	Ea	1,040.00	176.00	_	1,216.00		
90,000 grain wa	ter softener,							
MMC	P1@5.50	Ea	1,340.00	193.00	_	1,533.00		
120,000 grain w	120,000 grain water softener,							
MMC	P1@5.75	Ea	1,430.00	202.00		1,632.00		

Description	Craft@Hrs	Unit	Material \$	Labor \$	Equipment \$	Total \$
-------------	-----------	------	-------------	----------	--------------	----------

Water softener, electronically-metered controller. Including brine tank, brine well and pick up tube. Labor includes setting in place, connecting the unit to an existing domestic water distribution system, start up and testing.

20,000 grain wa	20,000 grain water softener,								
EMC	P1@4.50	Ea	709.00	158.00	_	867.00			
30,000 grain wa	ater softener,								
EMC	P1@4.50	Ea	729.00	158.00	_	887.00			
45,000 grain wa									
EMC	P1@4.50	Ea	801.00	158.00	_	959.00			
50,000 grain wa									
EMC	P1@4.75	Ea	877.00	167.00	~/	1,044.00			
60,000 grain wa									
EMC	P1@4.75	Ea	1,020.00	167.00	07	1,187.00			
75,000 grain wa				*					
EMC	P1@5.00	Ea	1,080.00	176.00	<u> </u>	1,256.00			
90,000 grain wa									
EMC	P1@5.50	Ea	1,380.00	193.00	<u> </u>	1,573.00			
120,000 grain w									
EMC	P1@5.75	Ea	1,470.00	202.00	<i>`</i>	1,672.00			

Water softener accessories

By-pass valve Manifold	P1@.400	Ea	68.30	14.10	_	82.40
adapter kit	P1@.200	Ea	18.40	7.03	_	25.43
Turbulator	P1@.400	Ea	33.70	14.10	_	47.80

Iron filter, electronically-metered controller. Manganese green sand filter. Labor includes setting in place, connecting the unit to an existing domestic water distribution system, start-up and testing.

42,000 iron filte	er (1.5 cf medi	a),				_		
5 gpm	P1@4.00	Ea	670.00	141.00		811.00		
65,000 iron filter (2.0 cf media),								
6 gpm	P1@4.50	Ea	793.00	158.00		951.00		
84,000 iron filter (2.5 cf media),								
8 gpm	P1@4.75	Ea	847.00	167.00		1,014.00		
Replacement green sand								
media	P1@1.20	CF	38.80	42.20	_	81.00		

Iron filter accessories

By-pass valve	P1@.400	Ea	68.30	14.10	_	82.40
Air vent	P1@.200	Ea	54.10	7.03	_	61.13
Air controller	P1@.400	Ea	61.20	14.10	_	75.30

Combination iron filter/water softener. Zeolite resins soften water and remove iron and manganese. Controller automatically controls PH level. Labor includes setting in place, connecting the unit to an existing domestic water distribution system, start-up and testing.

40,000 iron filter,						
1.3 cf media	P1@4.00	Ea	1,300.00	141.00	_	1,441.00
60,000 iron filter,						
1.7 cf media	P1@4.50	Ea	1,400.00	158.00	_	1,558.00
80,000 iron filter,						
2.5 cf media	P1@4.75	Ea	2,030.00	167.00	_	2,197.00

Hot water softener, time clock controller. Brass valve construction. Designed for 150 F. maximum operating temperature. Includes brine tank, brine well and pick-up tube. Labor includes setting in place, connecting the unit to an existing domestic water distribution system, start-up and testing.

20,000 grain ho	ot water							
softener	P1@4.50	Ea	1,630.00	158.00	— 1,788.00			
30,000 grain ho	ot water							
softener	P1@4.50	Ea ◀	1,730.00	158.00	— 1,888.00			
40,000 grain ho	ot water							
softener	P1@4.50	Ea	1,800.00	158.00	— 1,958.00			
60,000 grain hot water								
softener	P1@4.75	Ea	2,130.00	167.00	— 2,297.00			

Pressure tank, fiberglass wound. Labor includes setting in place, connecting the tank to a domestic water distribution system and testing.

Fiberglass press	sure tank,					
20 gallon	P1@2.00	Ea	254.00	70.30	_	324.30
Fiberglass press	sure tank,					
30 gallon	P1@2.00	Ea	286.00	70.30	_	356.30
Fiberglass press	sure tank,					
80 gallon	P1@2.75	Ea	464.00	96.70	_	560.70
Fiberglass press	sure tank,					
120 gallon	P1@3.50	Ea	612.00	123.00	_	735.00
Brass tank tee a	issembly,					
3/4"	P1@3.50	Ea	30.60	123.00	_	153.60
Brass tank tee a	issembly,					
1"	P1@3.50	Ea	57.10	123.00	_	180.10
Brass tank tee assembly,						
1¼"	P1@3.50	Ea	97.90	123.00	-	220.90

Ultra-violet water disinfection unit. Stainless steel reactor, audible and visible alarm, lamp end-of-life indicator and 7-day override. Gpm rating at 30,000 mj/m2 output. Labor includes setting in place, connecting to the water system and testing.

UV system, 1 gr	UV system, 1 gpm,								
1/4" in/out	P1@3.00	Ea	210.00	105.00		315.00			
UV system, 6 gp	om,								
½" in/out	P1@3.00	Ea	407.00	105.00		512.00			
UV system, 8 gp	om,								
3/4" in/out	P1@4.00	Ea	472.00	141.00		613.00			
UV system, 12 gpm,									
3/4" in/out	P1@4.00	Ea	603.00	141.00	17	744.00			
UV replacement lamp, 20W,									
1 gpm	P1@.750	Ea	46.90	26.40		73.30			
UV replacement	t lamp, 32W,								
6 gpm	P1@.750	Ea	53.00	26.40	_	79.40			
UV replacement	t lamp, 39W,								
8-12 gpm	P1@.750	Ea	67.90	26.40		94.30			
UV replacement	t ballast,			1					
420 Mv/110	V P1@1.00	Ea	206.00	35.20		241.20			

Kitchen equipment booster heater

1,000 watt	P1@4.00	Ea	526.00	141.00	— 667.00

Dishwasher

Built-in	P1@5.00	Ea	780.00	176.00	_	956.00

Garbage disposal

1/2 HP	P1@2.00	Ea	168.00	70.30	_	238.30
¾ HP	P1@2.00	Ea	285.00	70.30	<u> </u>	355.30



Grease and oil interceptor

4 GPM	P1@4.00	Ea	318.00	141.00	_	459.00
10 GPM	P1@5.00	Ea	519.00	176.00	_	695.00
15 GPM	P1@7.00	Ea	774.00	246.00	_	1,020.00
20 GPM	P1@8.00	Ea	937.00	281.00		1,218.00



Hair and lint interceptor

1½"	P1@.650	Ea	200.00	22.90	_	222.90
2"	P1@.750	Ea	284.00	26.40	_	310.40



All bronze 3/4" to 11/2" in-line NPT pump

1/12 HP	P1@1.50	Ea	489.00	52.70	_	541.70
1/6 HP	P1@1.50	Ea	730.00	52.70	_	782.70
1/4 HP	P1@1.50	Ea	855.00	52.70	_	907.70

Kitchen Equipment Connections

Description	Craft@Hrs	Unit	Material \$	Labor \$	Equipment \$	Total \$
Kitchen app	oliance gas	trim				
1/2"	P1@1.15	Ea	38.00	40.40	_	78.40
3/4"	P1@1.30	Ea	69.30	45.70	_	115.00
1"	P1@1.60	Ea	80.30	56.30	_	136.60
1¼"	P1@2.10	Ea	132.00	73.80	_	205.80
1½"	P1@2.50	Ea	167.00	87.90	_	254.90
2"	P1@3.00	Ea	224.00	105.00	<u> </u>	329.00
Hot and col	d water sup	ply				
1/2"	P1@1.10	Ea	36.70	38.70		75.40
3/4"	P1@1.55	Ea	52.00	54.50		106.50
1"	P1@1.90	Ea	70.70	66.80		137.50
11/4"	P1@2.50	Ea	99.70	87.90	_	187.60
1½"	P1@3.00	Ea	125.00	105.00	_	230.00
Continuous	waste		0			
2-part	P1@.250	Ea	52.20	8.79	_	60.99
3-part	P1@.350	Ea	87.80	12.30	_	100.10
4-part	P1@.450	Ea	114.00	15.80	<u> </u>	129.80
Indirect was	ste	0				
1/2"	P1@1.05	Ea	11.60	36.90	_	48.50
3/4"	P1@1.50	Ea	19.60	52.70	_	72.30
1"	P1@1.90	Ea	31.50	66.80	_	98.30
1¼"	P1@2.15	Ea	46.70	75.60	_	122.30
1½"	P1@2.60	Ea	61.40	91.40	_	152.80
2"	P1@3.00	Ea	94.10	105.00		199.10
Kitchen fixt	ure waste ta	ailpiec	е			
1½"	P1@.100	Ea	11.70	3.52	_	15.22
Kitchen fixt	ure trap wit	h sold	er bushing			
1½"	P1@.250	Ea	39.20	8.79	_	47.99
2"	P1@.300	Ea	54.60	10.50	<u>—</u>	65.10

Water closet, floor-mounted, flush tank, white vitreous china, lined tank. Complete with trim. Make additional allowances for rough-in. Based on American Standard Cadet series. ADA means American Disabilities Act compliant. (Wheelchair accessible)

Round bowl	P1@2.10	Ea	241.00	73.80	_	314.80
Elongated bowl	P1@2.10	Ea	291.00	73.80	_	364.80
ADA, 18" high	P1@2.10	Ea	396.00	73.80	_	469.80



Water closet, floor-mounted, flush valve, white vitreous china.

Complete with trim. Make additional allowances for rough-in. Based on American Standard. ADA means American Disabilities Act compliant. (Wheelchair accessible)

Elongated bowl	P1@2.60	Ea	376.00	91.40	(J)	467.40		
Elongated bowl,								
ADA 18" high	P1@2.60	Ea	448.00	91.40	_	539.40		
Elongated bowl w	vith a bedpan							
cleanser	P1@4.10	Ea	653.00	144.00		797.00		
Elongated bowl, ADA 18" high with a bedpan								
cleanser	P1@4.10	Ea	706.00	144.00	—	850.00		

Water closet, wall-hung, flush valve, white vitreous china. Complete with fixture carrier and all trim. Make additional allowances for rough-in. Based on American Standard Afwall series.

Elongated bowl	P1@3.55	Ea	600.00	125.00	_	725.00		
Elongated bowl	with electron	ic						
flush valve	P1@3.80	Ea	1,070.00	134.00	_	1,204.00		
Elongated bowl	with bedpan							
cleanser	P1@5.05	Ea	867.00	178.00	_	1,045.00		
Electronic flush valve,								
add	P1@.600	Ea	472.00	21.10	_	493.10		

Urinal, wall-hung, flush valve, white vitreous china. Complete with trim. Make additional allowances for rough-in.

			-			
Siphon-jet type	P1@3.15	Ea	600.00	111.00	_	711.00
Wash-out type	P1@3.10	Ea	489.00	109.00	_	598.00
Wash-down type	P1@3.00	Ea	345.00	105.00	_	450.00
Urinal carrier, add	P1@.600	Ea	111.00	21.10	_	132.10
Electronic flush va	alve,					
add	P1@.600	Ea	389.00	21.10	_	410.10
				•••••		



Urinal, stall-type, flush valve, white vitreous china. Complete with trim. Make additional allowances for rough-in.

Stall urinal	P1@5.00	Ea	1,170.00	176.00	_ 1	,346.00

Plumbing Fixtures

Description Craft@Hrs Unit Material \$ Labor \$ Equipment \$ Total \$

Lavatory, wall-hung, white vitreous china. Complete with trim and fixture carrier. Make additional allowances for rough-in. ADA means American Disabilities Act compliant. (Wheelchair accessible)



Wall-hung lav	P1@2.70	Ea	500.00	94.90	_	594.90
Wall-hung, ADA	P1@2.70	Ea	729.00	94.90	_	823.90
Fixture carrier	P1@.500	Ea	103.00	17.60		120.60

Countertop lavatory, white. Complete with trim. Make additional allowances for rough-in.



Vitreous china	P1@2.00	Ea	370.00	70.30	<u> </u>	440.30
Enameled steel	P1@2.00	Ea	312.00	70.30	_	382.30
Acrylic	P1@2.00	Ea	228.00	70.30	_	298.30

Bathtub, white, 60" x 32". Complete with trim, including shower head. Make additional allowances for rough-in.



Enameled steel	P1@2.50	Ea	521.00	87.90	_	608.90
Cast iron	P1@3.50	Ea	754.00	123.00	_	877.00
Fiberglass	P1@2.50	Ea	482.00	87.90	_	569.90
Acrylic	P1@2.50	Ea	515.00	87.90	_	602.90

Tub and shower combination, fiberglass, white. Complete with trim. Make additional allowances for rough-in.

One-piece	P1@4.50	Ea	1,070.00	158.00	_	1,228.00
Two-piece (reno)	P1@5.50	Ea	1,370.00	193.00	_	1,563.00
Four-piece (reno)	P1@6.25	Ea	1,460.00	220.00	_	1,680.00

Shower stall, white, 36" x 36". Complete with trim. Make additional allowances for rough-in.



Fiberglass						
one-piece	P1@3.50	Ea	668.00	123.00	_	791.00
Fiberglass	<u> </u>					
three-piece	P1@4.25	Ea	859.00	149.00	_	1,008.00
Acrylic						
one-piece	P1@3.50	Ea	996.00	123.00	_	1,119.00
Acrylic						
three-piece	P1@4.25	Ea	1,300.00	149.00	_	1,449.00

Shower basin, 36" x 36". Complete with trim (faucet, shower head and strainer). Make additional allowances for rough-in.

Fiberglass	P1@2.50	Ea	454.00	87.90	_	541.90
Acrylic	P1@2.50	Ea	489.00	87.90	_	576.90
Molded stone	P1@2.65	Ea	472.00	93.20	_	565.20

Kitchen sink, double compartment. Complete with trim. Make additional allowances for rough-in.

Stainless steel	P1@2.15	Ea	368.00	75.60	_	443.60
Cast iron	P1@2.50	Ea	482.00	87.90	_	569.90
Acrylic	P1@2.15	Ea	437.00	75.60	_	512.60



Kitchen sink, single compartment. Complete with trim. Make additional allowances for rough-in.

Stainless steel	P1@2.00	Ea	311.00	70.30	_	381.30
Cast iron	P1@2.10	Ea	359.00	73.80	_	432.80
Acrylic	P1@2.00	Ea	324.00	70.30	-	394.30

Bar sink. Complete with trim. Make additional allowances for rough-in.

	•					
Stainless steel	P1@2.00	Ea	279.00	70.30	_	349.30
Acrylic	P1@2.00	Ea	188.00	70.30	_	258.30



Exam room sink. Complete with trim. Make additional allowances for rough-in.

Stainless steel	P1@2.10	Ea	404.00	73.80		477.80
Acrylic	P1@2.10	Ea	345.00	73.80	_	418.80

Laboratory sink. Complete with trim. Make additional allowances for rough-in.

Stainless steel	P1@2.25	Ea	464.00	79.10	_	543.10
Acrylic	P1@2.25	Ea	404.00	79.10	-	483.10

Laundry sink, **double compartment**. Complete with trim. Make additional allowances for rough-in.

Cast iron	P1@3.50	Ea	541.00	123.00	_	664.00
Acrylic	P1@2.25	Ea	238.00	79.10	_	317.10

Laundry sink, single compartment. Complete with trim. Make additional allowances for rough-in.

Cast iron	P1@2.75	Ea	469.00	96.70	_	565.70
Acrylic	P1@2.00	Ea	165.00	70.30	_	235.30



Mop sink, floor mounted, 36" x 24". Complete with trim. Make additional allowances for rough-in.

Molded stone	P1@2.65	Ea	661.00	93.20	_	754.20
Terrazzo	P1@2.65	Ea	728.00	93.20	_	821.20
Acrylic	P1@2.35	Ea	508.00	82.60	_	590.60

Plumbing Fixtures

Description Craft@Hrs Unit Material \$ Labor \$ Equipment \$ Total \$

Slop sink, enameled cast iron with P-trap, standard. Complete with trim. Make additional allowances for rough-in.

Slop sink with						
P-trap, std.	P1@3.50	Ea	1,080.00	123.00	_	1,203.00

Floor sink, recessed, enameled steel, white. Add 40% to material prices for acid-resisting finish. Complete with strainer. Make additional allowances for rough-in.

9" x 9"	P1@1.00	Ea	92.90	35.20	√ −	128.10
12" x 12"	P1@1.00	Ea	108.00	35.20		143.20
15" x 15"	P1@1.15	Ea	73.60	40.40		114.00
18" x 18"	P1@1.25	Ea	96.00	44.00	_	140.00
24" x 24"	P1@1.50	Ea	130.00	52.70	_	182.70

Drinking fountain, refrigerated, stainless steel. Complete with trim. Make additional allowances for rough-in. ADA means American Disabilities Act compliant. (Wheelchair accessible)

Free-standing	P1@2.00	Ea	1,170.00	70.30	_	1,240.30
Semi-recessed	P1@2.50	Ea	1,550.00	87.90	_	1,637.90
Fully-recessed	P1@2.50	Ea	2,670.00	87.90	_	2,757.90
Wall-hung	P1@2.00	Ea	1,090.00	70.30	_	1,160.30
Wall-hung, ADA	P1@2.50	Ea	2,670.00	87.90	_	2,757.90

Drinking fountain, non-refrigerated. Complete with trim. Make additional allowances for rough-in. ADA means American Disabilities Act compliant. (Wheelchair accessible) S.S. means stainless steel.

Recessed, china	P1@2.50	Ea	897.00	87.90	_	984.90
Wall-hung, china	P1@2.00	Ea	511.00	70.30	_	581.30
Recessed, S.S.	P1@2.50	Ea	1,020.00	87.90	_	1,107.90
Wall-hung, S.S.	P1@2.00	Ea	544.00	70.30	_	614.30
ADA, S.S.	P1@2.50	Ea	937.00	87.90	_	1,024.90





Commercial plumbing fixture rough-in. Includes type L copper supply pipe and DWV copper (to $2\frac{1}{2}$ ") or cast iron (MJ) DWV (over $2\frac{1}{2}$ ") drain and vent piping. Make additional allowances for plumbing fixtures and trim. Use these costs for preliminary estimates.

	, , , , , , , , , , , , , , , , , , , ,					
Water closet, wal	l-hung, flush	valve,				
with carrier	P1@2.25	Ea	883.00	79.10	_	962.10
Water closet, wal	•					
no carrier	P1@1.95	Ea	321.00	68.60		389.60
Water closet, floo		_				
flush valve	P1@2.75	Ea	714.00	96.70	_	810.70
Water closet, floo	•					
tank type	P1@2.25	Ea	547.00	79.10	4	626.10
Bidet	P1@2.00	Ea	381.00	70.30		451.30
Urinal, wall-hung,						
with carrier	P1@3.10	Ea	960.00	109.00	_	1,069.00
Urinal, wall-hung,						
without carrier	P1@2.35	Ea	547.00	82.60	_	629.60
Lavatory, wall-hu	•			· (/)		
with carrier	P1@2.40	Ea	792.00	84.40	_	876.40
Lavatory	P1@1.90	Ea	381.00	66.80	_	447.80
Sink	P1@1.90	Ea	411.00	66.80		477.80
Bath tub	P1@2.35	Ea	587.00	82.60		669.60
Shower	P1@2.60	Ea	688.00	91.40	_	779.40
Mop sink	P1@2.40	Ea	487.00	84.40	_	571.40
Slop sink	P1@2.60	Ea	349.00	91.40	_	440.40
Laundry tub	P1@1.95	Ea	414.00	68.60	_	482.60
Wash fountain	P1@2.10	Ea	447.00	73.80	_	520.80
Lab sink,						
glass drainage	P1@3.80	Ea	1,760.00	134.00	_	1,894.00
Lab sink, acid res	sistant					
plastic drainage	P1@2.65	Ea	279.00	93.20	_	372.20
Drinking fountain	P1@2.20	Ea	303.00	77.40	_	380.40
Emergency eyew	ash					
and shower	P1@1.75	Ea	115.00	61.50	_	176.50
Washing machine	P1@2.25	Ea	444.00	79.10	_	523.10
			***************************************			•••••

Commercial plumbing fixture group rough-in. Includes Type L copper supply pipe and DWV copper (to $2\frac{1}{2}$ ") or cast iron (MJ) DWV (over $2\frac{1}{2}$ ") drain and vent piping. Make additional allowances for plumbing fixtures and trim. Use these costs for preliminary estimates.

3-piece washroor	n					
•		Eo	1 000 00	102.00		1 202 00
group	P1@5.50	Ea	1,090.00	193.00	_	1,283.00
3-piece washroor	•					
back to back	P1@9.75	Ea	1,990.00	343.00	_	2,333.00
Kitchen sink,						
back to back	P1@2.15	Ea	583.00	75.60	_	658.60
Battery of water of	closets, floor-r	nounted	d, tank type,			
per water closet	P1@1.75	Ea	454.00	61.50	_	515.50
Battery of water of	closets, floor-r	nounted	d, flush valve,			
per water closet	P1@2.20	Ea	593.00	77.40	_	670.40
Battery of water of	closets, wall-h	ung, flu	sh valve, with o	carrier,		
per water closet	P1@1.80	Ea	781.00	63.30	_	844.30
Battery of water of	closets, wall-h	ung, flu	sh valve, witho	ut carrier,		
per water closet	P1@1.50	Ea	229.00	52.70	_	281.70
Battery of urinals,	, wall-hung, fl	ush valv	e with carrier,			
per urinal	P1@2.45	Ea	938.00	86.10	_	1,024.10
Battery of urinals,	, wall-hung, fl	ush valv	e without carri	er,		
per urinal	P1@1.90	Ea	484.00	66.80	_	550.80
Battery of lavator	y basins, wall	-hung, v	with carrier,			
per lavatory	P1@2.00	Ea	729.00	70.30	_	799.30
Battery of lavator	y basins, with	out carr	ier,			
per lavatory	P1@1.50	Ea	330.00	52.70		382.70

Residential plumbing fixture rough-in. Includes polyethylene (PE) supply pipe and ABS DWV drain and vent piping. Make additional allowances for plumbing fixtures and trim. Use these costs for preliminary estimates.

Water closet, floo	r-mounted,	1				
tank type	P1@2.00	Ea	126.00	70.30	_	196.30
Bidet	P1@1.85	Ea	94.70	65.00	_	159.70
Lavatory	P1@1.75	Ea	94.70	61.50	_	156.20
Counter sink	P1@1.75	Ea	104.00	61.50	_	165.50
Bathtub	P1@2.10	Ea	94.70	73.80	_	168.50
Shower	P1@2.45	Ea	138.00	86.10	_	224.10
Laundry tub	P1@1.75	Ea	86.20	61.50	_	147.70
Washing machine	P1@2.00	Ea	107.00	70.30	_	177.30

Copper, Type K with Brazed Joints

Type K hard-drawn copper pipe with wrought copper fittings and brazed joints is used in a wide variety of plumbing and HVAC systems such as potable water, heating hot water, chilled water, compressed air, refrigerant and A.C. condensate.

Brazed joints are those made with silver or other alloy filler metals having melting points at, or above, 1,000 degrees F. Maximum working pressure/temperature relationships for brazed joints are approximately as follows:

Maximum	Working Press	sure (PSIG)*	
Water Temperature	Nomir	nal Pipe Size (i	nches)
(degrees F.)	Up to 1	1¼ to 2	2½ to 4
Up to 350	270	190	150

^{*}For copper pipe and solder-type fittings using brazing alloys melting at, or above 1,000 degrees F.

This section has been arranged to save the estimator's time by including all normally-used system components such as pipe, fittings, valves, hanger assemblies, riser clamps and miscellaneous items under one heading. Additional items can be found under "Plumbing and Piping Specialties." The cost estimates in this section are based on the conditions, limitations and wage rates described in the section "How to Use This Book" beginning on page 5.

Description Craft@Hrs Unit Material \$ Labor \$ Equipment \$ Total \$

Type K copper pipe with brazed joints, installed horizontally. Complete installation including six to twelve wrought copper tees and six to twelve wrought copper elbows every 100', and hangers spaced to meet plumbing code (a tee & elbow every 8.3' for ½" dia., a tee and elbow every 16.6' for 4" dia.).

1/2"	P1@.117	LF	3.58	4.11	_	7.69
3/4"	P1@.127	LF	6.27	4.47	_	10.74
1"	P1@.147	LF	10.00	5.17		15.17
11/4"	P1@.167	LF	13.70	5.87		19.57
1½"	P1@.187	LF	16.80	6.57		23.37
2"	P1@.217	LF	28.60	7.63		36.23
2½"	P1@.247	LF	47.00	8.68		55.68
3"	P1@.277	LF	54.20	9.74		63.94
4"	P1@.317	LF	99.20	11.10	_	110.30

Copper, Type K with Brazed Joints

Description Craft@Hrs Unit Material \$ Labor \$ Equipment \$ Total \$

Type K copper pipe with brazed joints, installed risers. Complete installation including a wrought copper reducing tee every floor and a riser clamp every other floor.

1/2"	P1@.064	LF	3.23	2.25	_	5.48
3/4"	P1@.074	LF	5.83	2.60	_	8.43
1"	P1@.079	LF	8.90	2.78	_	11.68
11/4"	P1@.084	LF	12.30	2.95	_	15.25
1½"	P1@.104	LF	14.50	3.66	_	18.16
2"	P1@.134	LF	24.80	4.71	_	29.51
21/2"	P1@.154	LF	37.10	5.41		42.51
3"	P1@.174	LF	52.00	6.12		58.12
4"	P1@.194	LF	81.20	6.82		88.02

Type K copper pipe with brazed joints, pipe only

1/2"	P1@.032	LF	2.57	1.13	_	3.70
3/4"	P1@.035	LF	4.76	1.23	_	5.99
1"	P1@.038	LF	6.01	1.34	_	7.35
11/4"	P1@.042	LF	8.03	1.48	_	9.51
1½"	P1@.046	LF	8.75	1.62	_	10.37
2"	P1@.053	LF	15.60	1.86	_	17.46
2½"	P1@.060	LF	20.40	2.11	_	22.51
3"	P1@.066	LF	26.60	2.32	_	28.92
4"	P1@.080	LF	47.60	2.81	_	50.41

Type K copper 45-degree ell C x C with brazed joints

1/2"	P1@.129	Ea	1.04	4.54	_	5.58
3/4"	P1@.181	Ea	1.97	6.36	_	8.33
1"	P1@.232	Ea	5.82	8.16	_	13.98
11/4"	P1@.284	Ea	7.88	9.99	_	17.87
1½"	P1@.335	Ea	11.70	11.80	_	23.50
2"	P1@.447	Ea	19.20	15.70	_	34.90
2½"	P1@.550	Ea	49.00	19.30	_	68.30
3"	P1@.654	Ea	64.70	23.00	_	87.70
4"	P1@.860	Ea	125.00	30.20	_	155.20

Type K copper 90-degree ell C x C with brazed joints

1/2"	P1@.129	Ea	.60	4.54	_	5.14
3/4"	P1@.181	Ea	1.27	6.36	_	7.63
1"	P1@.232	Ea	4.42	8.16	_	12.58
11/4"	P1@.284	Ea	7.17	9.99	_	17.16
1½"	P1@.335	Ea	10.90	11.80	_	22.70
2"	P1@.447	Ea	19.50	15.70	_	35.20
2½"	P1@.550	Ea	40.50	19.30	_	59.80
3"	P1@.654	Ea	51.20	23.00	_	74.20
4"	P1@.860	Ea	109.00	30.20	_	139.20







Copper, Type K with Brazed Joints

Description	Craft@Hrs	Unit	Material \$	Labor \$	Equipment \$	Total \$
Туре К сор	per 90-degr	ee ell l	Ftg x C with	brazed j	oints	
1/2"	P1@.129	Ea	1.27	4.54	_	5.81
3/4"	P1@.181	Ea	4.19	6.36	_	10.55
1"	P1@.232	Ea	6.28	8.16	_	14.44
11/4"	P1@.284	Ea	8.75	9.99	_	18.74
1½"	P1@.335	Ea	13.10	11.80	_	24.90
2"	P1@.447	Ea	26.30	15.70	_	42.00
21/2"	P1@.550	Ea	55.10	19.30	_	74.40
3"	P1@.654	Ea	62.00	23.00	_	85.00
4"	P1@.860	Ea	167.00	30.20	_	197.20
уре К сор	per tee C x	CxC	with brazed	joints		
1/2"	P1@.156	Ea	1.03	5.48	+ (24)	6.51
3/4"	P1@.204	Ea	2.77	7.17		9.94
1"	P1@.263	Ea	10.50	9.25	\ \ \ -	19.75
1¼"	P1@.322	Ea	16.60	11.30	3 –	27.90
1½"	P1@.380	Ea	24.20	13.40		37.60
2"	P1@.507	Ea	38.60	17.80	_	56.40
2½"	P1@.624	Ea	78.30	21.90	_	100.20
3"	P1@.741	Ea	121.00	26.10	_	147.10
4"	P1@.975	Ea	202.00	34.30	_	236.30

Description	Craft@Hrs	Unit	Material \$	Labor \$	Equipment \$	Total \$
Type K copper branch reducing tee C x C x C with brazed joints						
½" x 3/8"	P1@.129	Ea	2.08	4.54	_	6.62
3/4" X 1/2"	P1@.182	Ea	4.85	6.40	_	11.25
1" x ½"	P1@.209	Ea	12.30	7.35	_	19.65
1" x ¾"	P1@.234	Ea	12.30	8.23	_	20.53
1¼" x ½"	P1@.241	Ea	18.80	8.47	_	27.27
1¼" x ¾"	P1@.264	Ea	18.80	9.28	_	28.08
1¼" x 1"	P1@.287	Ea	18.80	10.10	_	28.90
1½" x ½"	P1@.291	Ea	22.90	10.20	_	33.10
1½" x ¾"	P1@.307	Ea	22.90	10.80		33.70
1½" x 1"	P1@.323	Ea	22.90	11.40	__	34.30
1½" x 1¼"	P1@.339	Ea	22.90	11.90		34.80
2" x ½"	P1@.348	Ea	30.80	12.20	_	43.00
2" x ¾"	P1@.373	Ea	30.80	13.10	<u> </u>	43.90
2" x 1"	P1@.399	Ea	30.80	14.00	_	44.80
2" x 11/4"	P1@.426	Ea	30.80	15.00	_	45.80
2" x 1½"	P1@.452	Ea	30.80	15.90	_	46.70
2½" x ½"	P1@.468	Ea	92.20	16.50	_	108.70
2½" x ¾"	P1@.485	Ea	92.20	17.10	_	109.30
2½" x 1"	P1@.502	Ea	92.20	17.70	_	109.90
2½" x 1½"	P1@.537	Ea	92.20	18.90	_	111.10
2½" x 2"	P1@.555	Ea	92.20	19.50	_	111.70
3" x 11/4"	P1@.562	Ea	105.00	19.80	_	124.80
3" x 2"	P1@.626	Ea	109.00	22.00	_	131.00
3" x 2½"	P1@.660	Ea	109.00	23.20	_	132.20
4" x 11/4"	P1@.669	Ea	189.00	23.50	_	212.50
4" x 1½"	P1@.718	Ea	189.00	25.20	_	214.20
4" x 2"	P1@.768	Ea	189.00	27.00	_	216.00
4" x 2½"	P1@.819	Ea	189.00	28.80	_	217.80
4" x 3"	P1@.868	Ea	189.00	30.50	_	219.50

Index

A	diffusers	Balancing valves PEX-AL pipe .114, 118
ABS, DWV pipe150	fan coil units	Ball valves
1/8 bend	fume hoods403	PEX-AL pipe
1/4 bend	grilles	pipe and plumbing specialty .126-127
adapters	terminal boxes	PVC, Schedule 40
bushings152	Air compressor	PVC, Schedule 80
cleanouts152	rental	PVC, Solid body, EDPM
closet bend	•	PVC, Solid body, threaded97, 107
closet flanges	budget estimates	PVC, Tru-union, threaded97, 107 PVC, Union type, Solvent
combinations151	Air conditioning condensate systems	weld98, 107
couplings	PVC, Schedule 4091	Schedule 40 steel, threaded230
hanger assemblies	PVC, Schedule 80	Schedule 80 steel, threaded250
P-traps	Type K copper, brazed	Type K copper, brazed
reducers	Type K copper, soldered43	Type K copper, soldered50
riser clamps153	Type L copper, brazed	Type L copper, brazed
solvent-weld joints152-153	Type L copper, soldered62	Type L copper, soldered68
tees151	Type M copper, brazed71	Type M copper, brazed77
wyes151-152	Type M copper, soldered 80	Type M copper, soldered86
ABS, DWV, test cap152	Air conditioning units288	Banks, HVAC estimates
A/C systems	Air cooled condenser426	Bar sinks
Access doors, steel121	condensing unit	estimating435
Accessories	Air grilles, return	Barber shops, HVAC estimates437
iron filter	Air handling equipment	Base wage6
water softener23	air conditioner288	Baseboard fins
Acid DWV systems	exhaust fans	Bathroom
Actuator, damper404	housings	fans
Adapters DWV coldered 149	ventilators326	fixtures28
copper, DWV, soldered148	Air handling units289	heaters
CPVC sprinkler pipe184	accessories290	Bathroom sink, disconnect
F.I.P., ABS	air balancing	Bathtubs
PE-AL pipe	coil connection297-298	disconnect
polypropylene pipe	removal	estimating
PVC, DWV	Air mixing box, removal423	Beauty shops, HVAC estimates437
PVC, Schedule 40	Air separators, Rolaitrol type201	Bell & spigot pipe, PVC159
PVC, Schedule 80	Alarm valves	Benders, hydraulic, rental
PVC sewer, bell & spigot	Alarm valves	Bends ABS, DWV pipe150
Schedule 5 steel, pressfit236	Area drains	cast iron, no-hub
Schedule 10 steel, roll-grooved275	installation costs435	class 110 DI, cement lined411
Schedule 40 steel, cut-grooved281	Arresters, water hammer133	class 150 cast iron
Schedule 40 steel, roll-grooved268	As-built drawings421	class 153 DI, cement lined407
Type K copper, brazed	Assemblies	class 153 DI, double cement
Type K copper, soldered47-48	air conditioning	lined
Type L copper, brazed56	forced air heating	class 2400 or 3000 asbestos
Type L copper, soldered65	Auditoriums, HVAC estimates437	cement
Type M copper, brazed74		copper, DWV, soldered147
Type M copper, soldered83		polypropylene pipe
Additional costs8		PVC, DWV159-160
Adjusting costs	В	PVC sewer, bell & spigot 160
Air admittance valve328	Backfill costs, trenching418	Bevel machines, rental420
Air balance software	Backflow preventers	Billing breakdown worksheet461-462
Air balancing	double check120	Biomass fired
air handling units	reduced pressure	boilers
centrifugal fans403	Backhoes, rental	central airspace heater 321

Black steel pipe177	Booster heaters25	Schedule 40 steel, cut-grooved .	.282
assemblies	Bore holes, geothermal317	Schedule 40 steel, roll-grooved .	.269
Blowers, centrifugal324	Bowling alleys, HVAC estimates437	Schedule 40 steel, threaded	.226
Boiler	Branch pipe and fittings, sprinkler .182	Schedule 40 steel, welded	
blowdown	Brazed joint pipe	Schedule 80 steel, threaded	.250
burners	Type K copper	Schedule 80 steel, welded	.241
stack	Type L copper53	Schedule 160 steel, welded	
trim	Type M copper71	Type K copper, brazed	
Boiler connections190	Bucket steam trap	Type K copper, soldered	
boiler pumps	Budget estimating	Type L copper, brazed	
Boilers	Buildings, HVAC estimates437	Type L copper, soldered	
biomass fired319-320	Burners, dual fuel	Type M copper, brazed	
pulse type322	Bushings	Type M copper, soldered	
removal425	ABS152	Carbon steel fittings214	-265
steam heating	PVC, DWV	Carbon steel pipe	
Boilers, commercial	PVC, Schedule 40	Schedule 40	
accessories204	PVC, Schedule 80	Schedule 80	
adjusting198	Type K copper, brazed	Cast iron class 150	
cast iron	Type K copper, soldered48	Cast iron DWV pipe, hub & spigot	
chemical feed pump	Type L copper, brazed	1/16 bend	
combustion controls 197-198	Type L copper, soldered66	1/8 bend	
combustion train	Type M copper, brazed	1/4 bend	
components	Type M copper, soldered	bends	
deaerator/condenser201	Butterfly valves	closet flanges	
electrical service	pipe and plumbing specialty 127	combinations	
feedwater pumps	PVC, Schedule 40	gaskets	
firebox	PVC, Schedule 80	hanger assemblies	
firetube	Schedule 10 steel, roll-grooved277	P-traps	
fuel train piping	Schedule 40 steel, cut-grooved283 Schedule 40 steel, roll-grooved270	riser clamps	
pumping unit	Schedule 40 steel, threaded230	sanitary tees	
refractory	Schedule 40 steel, tilleaded 230 Schedule 40 steel, welded	tees	
stacks	Schedule 80 steel, threaded .251-252	wyes143	
water softening systems	Schedule 80 steel, welded 243	Cast iron DWV pipe, mechanical	- 1
watertube	Type K copper, brazed	joint	135
Boilers das fired	Type K copper soldered 50	Cast iron DWV pipe, no-hub	
cast iron	Type K & L copper, roll grooved90	1/8 bend	
steel	Type L copper, brazed	1/4 bend	
Bolt and gasket sets	Type L copper, soldered67	caps	
pipe and plumbing specialty122	Type M copper, brazed76	closet bends	
polypropylene pipe	Type M copper, soldered 85	closet flanges	
PVC, Schedule 40	7.	combinations	
PVC, Schedule 80 109		couplings	
Schedule 10 steel, roll-grooved279	C	crosses	.139
Schedule 40 steel, cut-grooved284		hanger assemblies	.140
Schedule 40 steel, roll-grooved271	Calcium silicate pipe insulation 399	horizontal assembly	.135
Schedule 40 steel, threaded232	California Code, 2010	P-traps	.136
Schedule 40 steel, welded	Can washers, installation costs435	reducers	.139
Schedule 80 steel, threaded253	Caps	riser clamps	.140
Schedule 80 steel, welded 245	cast iron, no-hub	tees	-139
Schedule 160 steel, full face 264	cast iron, threaded	wyes136	-138
Schedule 160 steel, ring face264	CPVC sprinkler pipe184	Cast iron sprinkler pipe fittings	
Type K copper, brazed	PE-AL pipe	cap	
Type K copper, soldered52	PEX-AL pipe	couplings	
Type L copper, brazed 60	PVC sewer, bell & spigot 163 PVC, Schedule 40	cross	
Type L copper, soldered69	PVC, Schedule 80	ells	
Type M copper, brazed78	roll grooved, Victaulic	plugs	
Type M copper, soldered 87	Schedule 10 steel, roll-grooved276	reducers	
Boom lifts, rental	Concadio 10 Stock, foll-grooved270	reducing tee	.180

Ceiling diffusers	Close-out items	Computer rooms, HVAC estimates .437
Central air space heater,	Closet bends, ABS, DWV pipe150	Condenser units
biomass fired321	Closet flanges	Condenser water systems
Central dehumidification	ABS, DWV pipe150	Schedule 40 steel, cut-grooved280
Centrifugal blowers	cast iron, hub & spigot	Schedule 40 steel, roll-grooved266
Centrifugal fans, air balancing403	cast iron, no-hub	Condensing units, air cooled 212
Centrifugal pumps, HVAC	copper, DWV, soldered147	Condominiums, HVAC estimates437
Centrifugal water-cooled chiller211	PVC, DWV155-156	Configurable controller
Ceramic heater	Clothes dryers, exhaust327	Connections
Chain hoists, rental	Cocktail lounges, HVAC estimates .437	air handling unit, HVAC 297-298
Change estimates	Coil connection, air handling	continuous waste
change order log443	unit	fire department174
example	Coil, duct mounted, removal	flexible duct
summary	Coils, reheat, HVAC	hot and cold water supply 26
take-off	Cold water connections	indirect waste
worksheet	Collars, galvanized steel	kitchen equipment
Check valves	Combinations	Siamese
Chemical feed pump, boiler	ABS151	water heaters
Chemical feed system202	cast iron, hub & spigot	Connectors, pipe
Chemical systems	cast iron, no-hub	flexible
polypropylene, DWV164	copper, DWV, soldered147	Construction schedule
PVC, Schedule 40	polypropylene pipe	Contents
PVC, Schedule 80		
Chilled water systems	Combustion controls, boiler 197-198	Control modules, pollution
Schedule 10 steel, roll-grooved273	Combustion monitoring	Control modules, pollution 199 Control valves
	Combustion train, boiler	
Schedule 40 steel, cut-grooved280	Commercial bailers	2 way
Schedule 40 steel, roll-grooved266	Commercial boilers	3 way
Schedule 40 steel, threaded 223	combustion trains	electric
Schedule 80 steel, threaded 247	components and accessories204	pipe and plumbing specialty .132-133
Type K copper, brazed	connections	pneumatic
Type K copper, soldered43	Commercial fans and blowers 324	PVC, Schedule 4099
Type L copper, brazed	Commercial fixture rough-ins	PVC, Schedule 80
Type L copper, soldered62	group	Schedule 10 steel, roll-grooved278
Type M copper, brazed71	Commercial water heaters 19, 20	Schedule 40 steel, cut-grooved284
Type M copper, soldered 80		Schedule 40 steel, roll-grooved271
Chillers	Compactors, rental	Schedule 40 steel, threaded231
centrifugal		Schedule 40 steel, welded
drinking fountain30	150 pound, threaded	Schedule 80 steel, threaded 253
reciprocating	300 pound, threaded	Schedule 80 steel, welded244-245
removal	PVC122	Schedule 160 steel, flanged .263-264
water cooled, connection	PVC, Schedule 40	Schedule 160 steel, threaded263
Chlorinated polyvinyl chloride pipe .183	PVC, Schedule 80	Type K copper, brazed
Churches, HVAC estimates	Schedule 40 steel, threaded232	Type K copper, soldered51
Circuit balance valves	Type K copper, brazed	Type L copper, brazed
Circulating pumps	Type K copper, soldered51	Type L copper, soldered69
all bronze	Type L copper, brazed60	Type M copper, brazed78
iron body	Type L copper, soldered69	Type M copper, soldered87
Clarifications	Type M copper, brazed78	Controllers
Classrooms, HVAC estimates437	Type M copper, soldered87	Controls
Cleanouts	welding type	boiler
ABS	Composite pipe	HVAC404
ABS/PVC	compression fittings	Cooling systems, residential 286
copper, DWV, soldered147	compression joint fittings	Cooling towers
end-of-line	compression joints	connection assembly
floor	crimped joint	demolition427
installation costs435	crimped joint fittings111-112	forced draft
PVC, DWV	Compressed air systems	galvanized steel
wall	Type K copper, brazed	induced draft212
Closed loop heat pump306	Type L copper, brazed	removal427

0 " " 11 1 207		
Cooling units, variable volume337	reducers	bushings84
Copper fittings, roll grooved89	roll grooved89	caps84
Copper pipe	tees	companion flanges
Copper pipe, DWV, soldered146	valves	couplings
1/8 bend	Copper pipe, Type L brazed53-54	ells
1/4 bend	adapters	hanger assemblies
adapters	bolt and gasket sets	maximum working pressure 80
assembly with riser146	bushings57	pressure gauges87
cleanouts147	caps	reducers
closet flanges	companion flanges 60	riser clamps
combinations147	couplings	strainers
couplings	ells54-55	tees82
crosses147	hanger assemblies 61	thermometers with wells87
hanger assemblies	pressure gauges60	unions84
horizontal assemblies		
	reducers	valves
P-traps	riser clamps61	Copper piping, removal430
reducers	strainers	Correction factors6
riser clamps149	tees	Countertop sinks/lavatories28
tees147	thermometers with wells60	Couplings
test caps148	unions57	ABS153
test tees	valves	cast iron, no-hub139
wyes	Copper pipe, Type L soldered62-63	cast iron, threaded
Copper pipe, Type K brazed 33-34	adapters	copper, DWV, soldered148
adapters	bolt and gasket sets	CPVC sprinkler pipe183
bolt and gasket sets	bushings66	galvanized steel spiral duct359
bushings	caps	PE-AL pipe
caps	companion flanges 69	PEX-AL pipe113, 117
companion flanges	couplings66	polypropylene pipe
couplings	ells	PVC, DWV156
ells	hanger assemblies	PVC, Schedule 40
	-	
hanger assemblies	maximum working pressure 62	PVC, Schedule 80
pressure gauges41	pressure gauges69	PVC sewer, bell & spigot
reducers	reducers	roll grooved, Victaulic
riser clamp42	riser clamps70	Schedule 5 steel, pressfit235-236
strainers	strainers	Schedule 10 steel, roll-grooved276
tees	tees	Schedule 40 steel, cut-grooved282
thermometers with wells41	thermometers with wells69	Schedule 40 steel, roll-grooved269
unions	unions66	Schedule 40 steel, threaded226
valves	valves	Schedule 80 steel, threaded251
Copper pipe, Type K soldered43-44	Copper pipe, Type M brazed71-72	Type K copper, brazed
adapters	adapters	Type K copper, soldered49
bolt and gasket sets	bolt and gasket sets	Type K & L copper, roll grooved90
bushings48	bushings75	Type L copper, brazed57
caps48	caps	Type L copper, soldered66
companion flanges	companion flanges	Type M copper, brazed75
couplings	couplings	Type M copper, soldered84
ells	ells	CPVC sprinkler pipe
hanger assemblies	hanger assemblies 79	adapters
pressure gauges52	maximum working pressure 71	cap
reducers		
	pressure gauges	coupling
riser clamps52	reducers	elbows
strainers	riser clamps	fittings184
tees	strainers	flange
thermometers with wells52	tees	head adapter184
unions48	thermometers with wells78	reducing tees
valves	unions	tees183
Copper pipe, Type K & L89-90	valves	Craft codes
coupling90	Copper pipe, Type M soldered80-81	Craft@hrs5
ells89	adapters	Cranes, rental
flange adapter90	bolt and gasket sets	Crew composition
nango adapter90	Soit and gashet sets	Order Composition

Crimp rings	Drops and tees, ductwork 391-393	Electrical service for boilers196
PE-AL pipe115, 118	Dry valves	Ells
PEX-AL pipe115, 118	Dryers, exhaust	cast iron, threaded180
Croll-Reynolds199	Dual-fuel burners195	PE-AL pipe111-112, 116-117
Cross linked PEX-AL111	Duct insulation	PEX-AL pipe 111-112, 116-117
Cross linked Polyethylene-	calcium silicate	PVC, DWV
Aluminum pipe116	fiberglass401	PVC, Schedule 4092
Crosses	removal434	PVC, Schedule 80102-103
cast iron, no-hub139	Duct lining	Schedule 5 steel, pressfit234-235
cast iron, threaded	calcium silicate	Schedule 10 steel, roll-grooved274
copper, DWV, soldered147	fiberglass401	Schedule 40 steel, cut-grooved280
Schedule 40 steel, threaded225	Duct markers421	Schedule 40 steel, roll-grooved267
Schedule 80 steel, threaded250	Ductwork	Schedule 40 steel, threaded224
	correction factors	Schedule 40 steel, welded 215
	demolition422	Schedule 80 steel, threaded248
D	removal422	Schedule 80 steel, welded 238
Daily rental, equipment	Ductwork specialties	Schedule 160 steel,
Dampers	collars343	threaded
actuator404	connections	Schedule 160 steel, welded .257-258
correction factors	dampers	Type K copper, brazed34-35
fire	flexible connections	Type K copper, soldered44-45
fusible plug	turning vanes	Type K & L copper, roll grooved89
rectangular	Ductwork, fiberglass	Type L copper, brazed54-55
round	fabrication labor	Type L copper, soldered 63-64
Deaerator/condenser, boiler 201	installation costs396	Type M copper, brazed72
Deck drains, installation costs 435	vinyl cover	Type M copper, soldered81-82
Deep well jet pump	Ductwork, galvanized steel	Emissions reduction module199
dehumidification	per pound installed 346-347	Emissions sensing205
Dehumidifiers	rectangular	Energy recovery
Demolition	rectangular 20 gauge378-380	ventilators
Department stores, HVAC	rectangular 22 gauge373-377	wheel301
estimates	274 070	Engraved nameplates
	200 270	Enthalpy energy and heat recovery .301
Dielectric unions	rectangular fittings381-393	Equipment
air balancing	round fittings	nameplates421
ceiling	spiral	plumbing19
removal		rental costs420
Dishwashers	DWV pipe	Equipment costs
Disinfection unit	ABS150	Estimate detail sheet
	cast iron	Estimates, budget
Disposals, garbage	cast iron, hub & spigot	Estimating
Domestic water from filter	copper146	accuracy8
Doors121	polypropylene	guidelines
Double check detector valves	polypropylene heat-fused164	Exclusions8
	PVC	Exhaust
Downblast ventilation		clothes dryer
Drain, waste, vent pipe		fans
cast iron, hub & spigot	E	wall hood
cast iron, no-hub		Exhauster arrays
copper	EDPM valves	Exhausters
polypropylene	Elastomeric gaskets	Expansion tanks
PVC154	Elastomeric pipe insulation	Zapanoion tarmo
Drains	Elbows, ductwork	
Drawings, as-built	galvanized steel spiral duct	F
Drilling wells	rectangular, galvanized steel .381-390	
Drinking fountains	round, galvanized steel394	F.O.B
disconnect	Elbows, pipe	Fabrication, fiberglass ductwork 395
refrigerated30	black steel	Fan coil units
removal	CPVC sprinkler183	air balancing
Drinking water tank415-416	Electric water heaters	HVAC equipment208

Fan coils427	Fittings, pipe	Forced air heating, residential287
Fan controls327	copper, DWV, soldered146	Forced-draft cooling tower213
Fans	expansion tank	Forklifts, rental420
attic326	M.I., 150 pound224	Forms and letters438
bathroom326-328	malleable iron, Schedule 40266	Fringe benefits6
ceiling exhaust326-327	polypropylene	Front-end loaders, rental420
ceiling mounted326	PVC, DWV	Fuel train piping
centrifugal air foil324	PVC sewer, bell & spigot 159	Fume hoods, air balancing 403
centrifugal utility	PVC, Schedule 40	Furnace removal
commercial	PVC, Schedule 80101-102	Furnaces, residential299
exhaust	Schedule 10 steel, roll-grooved274	high efficiency
exhaust, roof325	Schedule 40 steel, cut-grooved280	wall
humidistat327	Schedule 40 steel, roll-grooved267	with A/C
kitchen	Schedule 40 steel, threaded224	Fusible plug dampers
roof	Schedule 40 steel, welded 215	111111111111111111111111111111111111111
room ventilation	Schedule 80 steel, threaded248	
speed controller	Type K copper, brazed	G
thru-wall	Type L copper, brazed	
timer	Type L copper, soldered63	Galvanized steel collars343
tube-axial	Type M copper, brazed72	Galvanized steel cooling tower 212
vane-axial324	Type M copper, soldered81	Galvanized steel ductwork
ventilation	Fixtures	installation costs345
wall exhaust	bathroom28	per pound installed 346-347
wall mounted326	disconnect	rectangular
washroom	estimating costs	rectangular 20 gauge377-380
Feedwater pumps, boiler197	removal	rectangular 22 gauge 373-377
		rectangular 24 gauge 371-373
feedwater systems	Flange adapter, Type K & L	rectangular 26 gauge
Fiberglass	copper, roll grooved90	rectangular fittings381-393
blanket	Flanges	round394
ductwork	CPVC sprinkler pipe	round elbow
pipe insulation	polypropylene pipe	round snap-lock
pressure tank	roll grooved, Victaulic	spiral
rigid board	Schedule 10 steel, roll-grooved276	spiral coupling
tank24, 415	Schedule 40 steel, cut-grooved282	spiral crosses
Filter, iron24	Schedule 40 steel, roll-grooved269	spiral elbows358
Fire dampers	Schedule 40 steel, threaded 232	spiral tees
Fire department connection174		Galvanized steel pipe sleeves153
Fire extinguisher	Schedule 80 steel, threaded253	Garbage disposals
Fire extinguishing systems 322	Schedule 80 steel, welded 242	Gas furnaces
Fire hydrant	Schedule 160 steel, slip on262	high efficiency299
Fire protection	Schedule 160 steel, weld neck262	residential
CPVC sprinkler pipe183	Flanges, companion	wall
fire hose cabinets173	150 pound, threaded122	with A/C
plastic sprinkler pipe183	150 pound, welding type121	
pumps174	300 pound, threaded	Gas heaters
Siamese connections	PVC122	Gas trim connections
sprinkler fittings177-181	Flashing	Gas valves
sprinkler heads172	pipe167	Gas water heaters19, 20
sprinkler pipe176-177	roof123, 153, 158	tankless20
steel pipe nipples	Flat panel water heater	Gaskets
switches	Flexible connections, ductwork 343	cast iron, hub & spigot
valves	Flexible fiberglass duct	elastomeric159
Fire pumps	Flexible pipe connectors	Gate valves
Firebox boilers187	Floor drains	pipe and plumbing specialty .129-130
Fire-rated doors121	estimating435	PVC, Schedule 40
Firetube boilers186-187	Floor sinks	PVC, Schedule 80106
Fittings	estimating435	Schedule 10 steel, roll-grooved276
ductwork	Flues, water heater	Schedule 40 steel, cut-grooved283
roll grooved		Schedule 40 steel, roll-grooved269

Schedule 40 steel, threaded .229-230	Schedule 40 steel, welded 222	High rise offices, HVAC estimates437
Schedule 40 steel, welded 219	Schedule 80 steel, threaded254	Holding tank
Schedule 80 steel, threaded251	Schedule 80 steel, welded 246	Hood, duct kit327
Schedule 80 steel, welded 242	Schedule 160 steel265	Hooks, pipe
Schedule 160 steel, flanged .262-263	Type K copper, brazed	Hose bibbs
Type K copper, brazed	Type K copper, soldered52	Hot and cold water connections 26
Type K copper, soldered49	Type L copper, brazed61	Hot water boilers
Type L copper, brazed	Type L copper, soldered70	biomass fired
Type L copper, soldered67	Type M copper, brazed79	connections, HVAC190
Type M copper, brazed76	Type M copper, soldered88	gas fired185-187
Type M copper, soldered85	Hangers, pipe124	gas fired, cast iron189
Geothermal	PE-AL115, 118	gas fired, steel188
bore holes	PEX-AL115, 118	high pressure
heat pump	steel band124	oil fired
wells	Hard water softener22, 23, 24	Hot water reheat coils
Globe valves	Head adapter, CPVC184	Hot water softener24
pipe and plumbing specialty .130-131	Headers, PEX-AL pipe114	Hot water systems
PVC, Schedule 40	Heads, sprinkler	piping
PVC, Schedule 80	Heat/cool thermostat405	Schedule 40 steel, cut-grooved280
Schedule 10 steel, roll-grooved277	Heat exchangers	Schedule 40 steel, roll-grooved266
Schedule 40 steel, cut-grooved283	demolition	Type K copper, brazed
Schedule 40 steel, roll-grooved270	HVAC207	Type K copper, soldered43
Schedule 40 steel, threaded230	removal429	Type L copper, brazed
Schedule 40 steel, welded	Heat pumps	Type L copper, soldered62
Schedule 80 steel, threaded251	accessories312	Type M copper, brazed71
Schedule 80 steel, welded242-243	air to air	Type M copper, soldered 80
Schedule 160 steel, flanged263	demolition	Hot water tank
Type K copper, brazed	geothermal	disconnect
Type K copper, soldered	removal	removal
Type L copper, brazed	split system	Hourly labor costs
Type L copper, soldered67	supplemental electric heating	How to use this book5
Type M copper, brazed76	coil	HRV (heat recovery
Type M copper, soldered 85	thermostats	ventilators)
Grease and oil interceptors25	Heat reclaimer	Hub & spigot C.I. pipe, DWV141
Green sand filter	Heat recovery	Humidistat control
Greywater tank	Heat recovery systems	HVAC
Grilles air balancing	continuous blowdown	boiler connections
removal	Heat recovery ventilators	demolition
return air	Heat transfer equipment	
Ground source heat pump306	Heaters	air
	bathroom328	HVAC equipment
	biomass fired321	air conditioning units288
Н	ceramic304	air handling equipment331
Hair and lint interceptors25	commercial304	air handling units289-290
Hanger assemblies	gas fired	boilers
ABS153	infrared	centrifugal blowers
cast iron, hub & spigot 145	infrared bulb	connections, air handling
cast iron, no-hub140	infrared tube	unit
copper, DWV, soldered149	residential furnaces	fan coil units
polypropylene pipe	resistance329	heat exchangers207
PVC, DWV	unit	heat transfer equipment
PVC, Schedule 40	Heat-fusioned joint pipe,	pumps
PVC, Schedule 80110	polypropylene164	reheat coils
Schedule 10 steel, roll-grooved279	Heating systems	unit heaters
Schedule 40 steel, cut-grooved285	estimating	variable-air volume units337
Schedule 40 steel, roll-grooved272	residential287	HVAC systems
Schedule 40 steel, threaded232	Help5	Type K copper, brazed
		31

Type K copper, soldered43 Type L copper, brazed53 Type L copper, soldered62 Type M copper, brazed71 Type M copper, soldered80 Hydrant, fire	Laundry sinks .29 disconnect .433 Lavatories .28 estimating .435 Lead flashing .123, 153, 158 LEED certification .185-186, 187-189, 286, 305, 308, 312, 319-320, 322 Letter of intent .456-457 Libraries, HVAC estimates .437 Line voltage thermostat .405 Lined ductwork, installed .346-347 Low voltage thermostat .405	Nail clips PE-AL pipe
Induced-draft cooling tower212	M	0
Infrared	Makeup air units 336	Office buildings, HVAC estimates437
bulb heater	Makeup air units	Office trailers, rental
elastomeric400	Manhours	estimating
fiberglass	Manifolds, PEX-AL pipe114	Overhead and profit
Insulation removal	Manufacturing plants, HVAC	
Insurance	estimates	
Interceptors	Markers, pipe and duct	Р
Iron filter	Markets, HVAC estimates	Packaged boiler feedwater
accessories23	Material costs	systems202
Iron removal	Material pricing conditions9	PE-AL pipe111-116
Irrigation systems	Materials, Equipment, and	adapters
PVC, Schedule 4091	Tool form	brass fittings
PVC, Schedule 80101	Maximum working pressures Type K copper, brazed	caps
	Type K copper, blazed	compression brass fittings 116
	Type L copper, brazed	couplings
J	Type L copper, soldered62	crimp rings
Jet pump	Type M copper, brazed71	crimped brass fittings
Jet pump	Type M copper, soldered 80	hangers
	Mechanical joint coupling	miscellaneous tools
	Mechanical tee, roll grooved,	nail clips
K	Victaulic179	O-rings
Kitchen equipment	Medical buildings, HVAC estimates .437 MET10	tees
Kitchen fixtures	worksheet14	PEX-AL pipe
tailpiece connections	Miscellaneous tools	adapters
trap connections26	PE-AL pipe115, 118	brass fittings
Kitchen sinks	PEX-AL pipe115, 118	caps
disconnect	MJ coupling139	compression brass fittings 116
	Molded stone	couplings
	mop sinks	crimp rings
<u> </u>	shower basins28	crimped brass fittings
L	Monthly rental, equipment420	ells
Labor costs	Mop sink, disconnect	hangers115, 118
Laboratories, HVAC estimates437	Museums HVAC estimates	manifolds114
Laboratory DWV pipe systems164	Museums, HVAC estimates437	miscellaneous tools115, 118

nail clips	sump pit	Pressure gauges
O-rings	tank416	dial-type
tees112, 117	Plug dampers, fusible	PVC, Schedule 40 100
valves	Plugs	PVC, Schedule 80 109
Pipe	cast iron, threaded	Schedule 10 steel, roll-grooved279
connector	polypropylene pipe	Schedule 40 steel, cut-grooved285
flashing123, 153, 158, 167	PVC, Schedule 4095	Schedule 40 steel, roll-grooved271
hangers	PVC, Schedule 80	Schedule 40 steel, threaded232
hooks	Schedule 40 steel, threaded226	Schedule 40 steel, welded 222
markers421	Schedule 80 steel, threaded250	Schedule 80 steel, threaded 254
sleeves125, 153, 158, 167	Plumbing	Schedule 80 steel, welded 245
sleeves, cut-grooved285	budget estimates435	Type K copper, brazed
Pipe insulation	equipment26	Type K copper, soldered52
calcium silicate	fixture costs	Type L copper, brazed60
elastomeric400	fixture rough-in31-32	Type L copper, soldered69
fiberglass397-398, 415	fixtures	Type M copper, brazed78
removal	specialties134	Type M copper, soldered
Pipe machines, rental	Plumbing fixture	Pressure pump
Pipe sizes	disconnect	Pressure reducing valves
Type K copper, brazed	removal432	Pressure switches172, 314
Type K copper, soldered 43	Pollution control modules	Pressure tank
Type L copper, brazed	Pollution control stack retrofit .319, 321	Pressure/temperature taps
Type L copper, soldered62	Polyethylene sewage pit	Schedule 10 steel, roll-grooved279
Type M copper, brazed71	Polyethylene sump pit	Schedule 40 steel, cut-grooved285
Type M copper, soldered 80	Polyethylene-aluminum pipe111-116	Schedule 40 steel, roll-grooved272
Piping	Polypropylene DWV pipe164	Schedule 40 steel, threaded 232
air handling unit coil 297-298	adapters	Schedule 40 steel, welded
cast iron	bends	Schedule 80 steel, threaded
class 110 DI, cement lined411	bolt and gasket sets	Schedule 80 steel, welded
class 150 cast iron	combinations165	Schedule 160 steel24
class 153 DI, cement lined407	couplings	Price updates
	fittings	Pricing, HVAC systems
lined409	flanges	Process systems
class 2400 or 3000 asbestos	hanger assemblies	PVC, Schedule 4091-92
cement	heat-fused joint pipe164	PVC, Schedule 80101-102
copper146	plugs166	Project summary
CPVC sprinkler	P-traps	Project summary worksheet
polypropylene	reducers	Proposal, preparing
PVC	riser clamps167	P-traps
PVC, DWV	tees	ABS151
Schedule 10 steel,	wyes165-166	cast iron, hub & spigot
roll-grooved	Polyvinyl chloride pipe	· · ·
Schedule 40 steel, cut-grooved	Schedule 40	cast iron, no-hub
Schedule 40 steel, roll-grooved266	Schedule 80	···
	Potable water storage tank	polypropylene pipe
Schedule 40 steel, threaded 223	Potable water systems	PVC, DWV
Schedule 40 steel, welded	PVC, Schedule 40 91	Pulse type boilers
Schedule 80 steel, threaded248	PVC, Schedule 80101	Pumping unit for boilers201
Schedule 80 steel, welded237-238	Type K copper, brazed	Pumps
Piping, removal	Type K copper, soldered43	boiler
Piping specialties	Type L copper, brazed	centrifugal
Piping systems	Type L copper, soldered62	heat
chilled water	Type M copper, brazed71	in-line
hot water	Type M copper, soldered 80	in-line circulating
recirculating water	Pressfit	removal
Planter drains	fittings	submersible
Plastic	Type O o-rings	sump, installation costs
sewage pit	Pressure controller	well water
sprinkler pipe	Pressure fiberglass tank	Purchase order451-452

PVC		thermometers with wells	109	Type K copper, brazed	37
valves, EDPM97	7, 107	unions	105	Type K copper, soldered	47
valves, threaded97	7, 107	valves10	06-109	Type K & L copper, roll grooved	90
valves, Tru-union97	7, 107	PVC sewer pipe, bell & spigot	159	Type L copper, brazed	56
valves, union type, solvent		1/16 bend	159	Type L copper, soldered	65
weld98	3, 107	1/8 bend15	59-160	Type M copper, brazed	74
PVC, DWV pipe	154	1/4 bend	160	Type M copper, soldered	83
adapters	156	adapters	163	Reducing costs	9
bushings	156	caps	163	Reducing ells, Schedule 5 steel,	
cleanouts	157	couplings	160	pressfit	.235
closet flanges15	5-156	gasket joints	159	Reducing tees	
couplings	156	reducers		cast iron	.180
ells	154	tees	162	CPVC sprinkler pipe	.183
fittings	154	test plugs	163	roll grooved, Victaulic	.178
hanger assemblies		wyes16	60-162	Schedule 5 steel, pressfit	
P-traps		•		Schedule 10 steel, roll-grooved .	.275
reducers	157			Schedule 40 steel, cut-grooved .	.281
riser clamps	157	Q		Schedule 40 steel, roll-grooved .	
solvent-weld joints	154			Schedule 40 steel, threaded	
tees		Quotation sheet	17	Schedule 80 steel, threaded	
wyes				Reducing valves, pressure	
PVC, Schedule 40 pipe				Refractory, boiler	
adapters		R	7	Refrigeration systems	
assembly		Rainwater systems, PVC	150	Type K copper, brazed	33
bolt and gasket sets		Reciprocating water-cooled chiller		Type L copper, brazed	
bushings		, 9		Registers	
caps		Recirculating water systems		return	.334
companion flange		Record of telephone conversation		supply	
control valves		Recorder, digital		Reheat coils	
couplings		Recording equipment	205	Reheat units, variable volume	
ells		Rectangular duct, galvanized	- 000	Removal costs	.00.
hanger assemblies		steel	5, 380	air cooled condensers	426
plugs		Rectangular elbow, galvanized	000	air handling units	
pressure gauges		steel	390	air mixing box	
pressure/temperature taps		Reducers	450	boilers	
riser clamps		ABS		chillers	
solvent-weld joints		cast iron, hub & spigot		cooling towers	
strainers		odot non, no nab		copper piping	
tees		cast iron, threaded		diffusers	
thermometers with wells		class 110 DI, cement lined		duct insulation	
unions		class 150 cast iron		duct mounted coils	
valves		class 153 DI, cement lined	408	ductwork422	
PVC, Schedule 80 pipe 10		class 153 DI, double cement	440	fan coils	
adapters		lined	410	furnaces	
assembly10		class 2400 or 3000 asbestos		grilles	
bolt and gasket sets		cement		heat exchangers	
		copper, DWV, soldered		heat pumps	
bushings		galvanized steel spiral duct		hot water tank	
caps		polypropylene pipe			
companion flanges		PVC		pipe insulation	
couplings		PVC, DWV		plastic piping	
ells10		roll grooved, Victaulic	178	plumbing fixtures	
	110				
hanger assemblies		Schedule 10 steel, roll-grooved	275	pumps	
plugs	105	Schedule 10 steel, roll-grooved Schedule 40 steel, cut-grooved	275 282	roof top unit	.424
plugs pressure gauges	105 109	Schedule 10 steel, roll-grooved Schedule 40 steel, cut-grooved Schedule 40 steel, roll-grooved	275 282 268	roof top unitsteel piping	.424 .430
plugs pressure gauges pressure/temperature taps	105 109 110	Schedule 10 steel, roll-grooved Schedule 40 steel, cut-grooved Schedule 40 steel, roll-grooved Schedule 40 steel, threaded	275 282 268 225	roof top unitsteel pipingunit heaters	.424 .430 .428
plugs	105 109 110 110	Schedule 10 steel, roll-grooved Schedule 40 steel, cut-grooved Schedule 40 steel, roll-grooved	275 282 268 225	roof top unitsteel pipingunit heatersvalves	.424 .430 .428
plugs	105 109 110 110 101	Schedule 10 steel, roll-grooved Schedule 40 steel, cut-grooved Schedule 40 steel, roll-grooved Schedule 40 steel, threaded Schedule 40 steel, welded Schedule 80 steel, threaded	275 282 268 225 217 249	roof top unit	.424 .430 .428 .431
plugs	105 109 110 110 101 108	Schedule 10 steel, roll-grooved Schedule 40 steel, cut-grooved Schedule 40 steel, roll-grooved Schedule 40 steel, threaded Schedule 40 steel, welded	275 282 268 225 217 249	roof top unitsteel pipingunit heatersvalves	.424 .430 .428 .431 .420

Residential furnaces299-300	Schedule, construction453-455	flanges
Residential water heaters19-20	Schedule 5 carbon steel pipe,	hanger assemblies
Resistance heater	pressfit234	horizontal assembly
Retail shops, HVAC estimates437	adapters	pressure gauges
Retrofit pollution control stack .319-321	couplings	pressure/temperature taps
Return air grilles	ells	reducers
Return registers334	reducing ells	reducing tees
Riser clamps	reducing tees	riser clamps
ABS153	tees	strainers27
cast iron, hub & spigot	Schedule 10 carbon steel pipe,	tees
cast iron, no-hub140	roll-grooved	thermometers with wells
copper, DWV, soldered149	adapters	valves
pipe and plumbing specialty125	bolt and gasket sets	vertical assembly
polypropylene pipe	caps	Schedule 40 carbon steel pipe,
PVC, DWV	couplings	threaded22
PVC, Schedule 40	ells	bolt and gasket sets
PVC, Schedule 80110	flanges	
Schedule 10 steel, roll-grooved279	hanger assemblies	caps
Schedule 40 steel, cut-grooved285	horizontal assembly	companion flanges
Schedule 40 steel, roll-grooved272	pressure gauges279	control valves
Schedule 40 steel, threaded233	pressure/temperature taps	couplings
Schedule 40 steel, welded	reducers	crosses229
Schedule 80 steel, threaded254	reducing tees	ells
Schedule 80 steel, welded 246	riser clamps	fire protection
Schedule 160 steel265	strainers	hanger assemblies
Type K copper, brazed	tees	horizontal assembly
Type K copper, soldered52	thermometers with wells	nipples
Type L copper, brazed 61	valves	plugs220
Type L copper, soldered70	vertical assembly	pressure gauges232
Type M copper, brazed79	Schedule 40	pressure/temperature taps
Type M copper, soldered 88	threadolet	reducers
Rolairtrol type air separators201	weldolet	reducing tees225
Roll-grooved fittings179	Schedule 40 carbon steel pipe215	riser clamps233
Roll-grooved joint, Schedule 40	Schedule 40 carbon steel pipe,	strainers
carbon steel	cut grooved	tees224
Roof	adapters	thermometers with wells232
drains	bolt and gasket sets	unions226
exhaust fan325	caps282	valves
fans326	couplings	vertical assembly223
flashing123, 153, 158	ells	Schedule 40 carbon steel pipe,
Roof exhauster326	flanges	welded
Roof top unit, removal424	hanger assemblies	bolt and gasket sets
Rough-ins	pipe sleeves	caps217-218
commercial fixture31	pressure gauges285	companion flanges
commercial group32	pressure/temperature taps	ells
residential32	reducers	pressure gauges22
Round galvanized steel ductwork394		pressure/hanger assemblies 22
Roustabouts, rental420	reducing tees	pressure/temperature tap22
Run and branch, tees, galvanized	riser clamps	reducers
steel	strainers	riser clamp
	tees	strainers
	thermometers with wells285	tees
S	valves	
	Schedule 40 carbon steel pipe,	thermometers with wells22
Saddle tee, roll grooved, Victaulic .179	roll-grooved	threadolets
Safety, trenching418	adapters	valves
Sandstone, trenching418	bolt and gasket sets	vertical assembly
Sanitary tees	caps	weldolets
cast iron DWV pipe142	couplings	Schedule 40 polypropylene pipe164
polypropylene pipe	ells	Schedule 40 PVC pipe91-92

.		
Schedule 80	flanges	kitchen29
PVC pipe101	hanger assemblies	laboratory
threadolet	horizontal assembly	laundry
weldolet134	pressure gauges264	medical29
Schedule 80 carbon steel pipe,	pressure/temperature taps 264	molded stone
threaded	reducers	mop29
bolt and gasket sets	riser clamps	removal
caps	tees	slop30
couplings	thermometers with wells	stainless steel29
crosses	threadolets	Skip loaders, rental
ells	unions	Sleeves
		galvanized steel pipe 153, 158
flanges	valves	polypropylene pipe
hanger assemblies	weldolets	Slop sink, disconnect
horizontal assembly	Schedule 80 PVC pipe	
plugs250	Scissor-lifts, rental420	Slope, trench
pressure gauges254	Scotch marine firetube boilers .186-187	Softener, water
pressure/temperature taps	Self-sticking markers421	Software
reducers	Sensor	Solar water heater
reducing tees	CO2	Solder, soft
riser clamps	HVAC controls	Soldered joint fittings
strainers	Septic tank	Type K copper43
tees	Service sinks29	Type L copper62
thermometers with wells254	estimating	Soldered joint pipe43, 80
unions	Sewage lift tank417	copper, DMV
		Type K copper
valves	Sewage tank	Type L copper62
vertical assembly247	Sewer pipe, PVC bell & spigot159	Type M copper
Schedule 80 carbon steel pipe,	Shale, trenching	Solenoid valves
welded238	Shallow well water pump313	Solvent-weld joint pipe
bolt and gasket sets	Sheet metal	PVC, DWV
caps	Shoring, trench	PVC, Schedule 40
ells	Shower stall	PVC, Schedule 80
flanges	disconnect	Specialties, piping and plumbing134
hanger assemblies	removal432	
horizontal assembly	Showers	Speed controller, fan
pressure gauges245	estimating435	Spin-ins, plain
pressure/temperature tap	Siamese connection	Spiral crosses, galvanized
reducers	· ·	steel
riser clamps	pipe and plumbing specialty129	Spiral duct, galvanized
strainers	PVC, Schedule 4098	steel
tees	PVC, Schedule 80	Spiral tees, galvanized steel363, 365
thermometers with wells 245		Sprinkler fittings
	Schedule 10 steel, roll-grooved278	Sprinkler heads
threadolets	Schedule 40 steel, cut-grooved284	Sprinkler systems
unions241	Schedule 40 steel, roll-grooved270	black steel pipe
valves	Schedule 40 steel, threaded231	branch pipe and fittings182
vertical assembly237	Schedule 40 steel, welded	heads
weldolets241	Schedule 80 steel, threaded 252	per head costs170
Schedule 160 carbon steel pipe,	Schedule 80 steel, welded 244	square foot costs170
plain end	Type K copper, brazed	switches
Schedule 160 carbon steel pipe,	Type K copper, soldered50	valves
threaded	Type L copper, brazed 59	Square-foot costs, HVAC435
ells	Type L copper, soldered68	Stack waste, heat recovery199
horizontal assembly	Type M copper, brazed77	Stainless steel
tees	Type M copper, soldered 86	doors
unions	Sinks	sinks
vertical assembly	acrylic	Standard form subcontract
Schedule 160 carbon steel pipe,	bar29	Steam boiler connections, HVAC190
welded255	cast iron	Steam boilers
		biomass fired320
bolt and gasket sets	countertop	connections
caps	disconnect	
ells257-258	exam room	gas fired

Steam heating boilers	reducing tees	pressure gauges
Steam systems, piping238	riser clamps285	pressure/temperature tap222
Steam traps125, 204	strainers	reducers
Steel collars	tees	riser clamp222
Steel doors	thermometers with wells285	strainers220-221
Steel ductwork,	valves	tees
•		
galvanized	Steel pipe, Schedule 40	thermometers
fittings358	roll-grooved	threadolets218
Steel pipe	adapters	unions218
black	bolt and gasket sets	valves
cooling systems	caps	weldolets
heating systems	couplings	Steel pipe, Schedule 80
nipples, threaded 182, 229	ells	threaded247-248
pressfit system	flanges	ball valves
process applications234	hanger assemblies	bolt and gasket sets
Steel pipe fittings, Schedule 40	pressure gauges271	butterfly valves251-252
steel, roll-grooved266	pressure/temperature taps	caps
Steel pipe nipples, threaded227-229	reducers	control valves
Steel pipe, Schedule 5 pressfit 234	reducing tees	couplings
adapters	riser clamps	crosses
couplings	strainers	ells
ells234-235	tees	flanges
reducing ells	thermometers with wells271	gate valves
reducing tees	valves	globe valves
tees	Steel pipe, Schedule 40	hanger assemblies
Steel pipe, Schedule 10	threaded	plugs250
roll-grooved	ball valves230	pressure gauges254
adapters	bolt and gasket sets	pressure/temperature taps
bolt and gasket sets	butterfly valves	reducers
caps	caps	reducing tees
control valves	companion flanges	riser clamps
couplings		· · · · · · · · · · · · · · · · · · ·
	control valves	silent check valves
ells	couplings226	strainers252-253
flanges	crosses225	swing check valves252
hanger assemblies	ells	tees
horizontal assembly	hanger assemblies	thermometers with wells254
pressure gauges279	horizontal assembly	unions250
pressure/temperature taps	nipples	valves
reducers	plugs	Steel pipe, Schedule 80
reducing tees	pressure gauges232	welded
riser clamps	pressure/temperature taps	bolt and gasket sets
strainers	reducers	butterfly valves
tees	riser clamps	caps
thermometers with wells279	silent check valves	control valves244-245
valves	strainers	ells
vertical assembly273	swing check valves231	flanges
Steel pipe, Schedule 40	tees	gate valves
cut-grooved	thermometers with wells232	globe valves
adapters	unions	hanger assemblies
bolt and gasket sets	valves	pressure gauges245
caps	vertical assembly	pressure/temperature tap245
couplings	Steel pipe, Schedule 40	reducers
ells	welded	riser clamps
flanges	bolt and gasket sets	silent check valves
hanger assemblies	caps217	strainers
pipe sleeves	control valves	swing check valves243
pressure gauges285	ells215	tees
pressure/temperature taps 285	flanges	thermometers with wells245
reducers	hanger assemblies	threadolets242

unions241	Sump pit	shallow burial415-416
valves	Sump pumps, installation costs435	sump417
weldolets241	Supermarkets, HVAC estimates437	swimming pool
Steel pipe, Schedule 160256	Supervision expense6	water416
bolt and gasket sets	Supervision valves	Taxable fringe benefits
ells	flanged	Taxes
hanger assemblies	grooved171	Tees
pressure gauges264	Supply registers	ABS151-152
pressure/temperature taps 264	Supports, wall bracket124	cast iron, hub & spigot
riser clamps	Surplus materials10	cast iron, no-hub
thermometers with wells264	Swimming pool heat recovery	cast iron, threaded
Steel pipe, Schedule 160	ventilators	class 110 DI, cement lined417
plain end	Swing check valves	class 150 cast iron
Steel pipe, Schedule 160	pipe and plumbing specialty .127-128	class 153 DI, cement lined407
threaded	PVC, Schedule 4098	class 153 DI, double cement
ells	PVC, Schedule 80	lined
horizontal assembly	Schedule 10 steel, roll-grooved277	class 2400 or 3000 asbestos
tees	Schedule 40 steel, cut-grooved283	cement
unions	Schedule 40 steel, roll-grooved270	copper, DWV, soldered147
vertical assembly256	Schedule 40 steel, threaded231	CPVC sprinkler pipe183
Steel pipe, Schedule 160 welded256	Schedule 40 steel, welded	PE-AL pipe112, 117
caps	Schedule 80 steel, threaded252	PEX-AL pipe112, 117
ells	Schedule 80 steel, welded 243	polypropylene pipe
flanges	Schedule 160 steel, flanged263	PVC, DWV
horizontal assembly	Type K copper, brazed	PVC, Schedule 40
reducers	Type K copper, soldered 50	PVC, Schedule 80103
tees	Type L copper, brazed	PVC sewer, bell & spigot
threadolets	Type L copper, soldered68	roll grooved, Victaulic
unions	Type M copper, brazed77	Schedule 5 steel, pressfit236
valves		Schedule 10 steel, roll-grooved274
	Type M copper, soldered	
vertical assembly	Switches, sprinkler system	Schedule 40 steel, cut-grooved28
weldolets		Schedule 40 steel, roll-grooved267
Steel piping, removal		Schedule 40 steel, threaded
Storage vans, rental	T	Schedule 40 steel, welded
Stores, HVAC estimates	Table of contents3	Schedule 80 steel, threaded 249
Strainers	Toblog	Schedule 80 steel, welded239-240
pipe and plumbing specialty .131-132	budget estimates435	Schedule 160 steel, threaded259
PVC, Schedule 4098-99	trenching costs	Schedule 160 steel, welded259
PVC, Schedule 80	Tailpiece connections	spiral, galvanized steel 360-369
Schedule 10 steel, roll-grooved278	Tank tee	Type K copper, brazed35-36
Schedule 40 steel, cut-grooved284	Tankless water heaters	Type K copper, soldered45-46
Schedule 40 steel, roll-grooved271	Tanks	Type K & L copper, roll grooved89
Schedule 40 steel, threaded231	above ground	Type L copper, brazed5
Schedule 40 steel, welded220-221	buried415-416	Type L copper, soldered64
Schedule 80 steel,	deep burial	Type M copper, brazed73
threaded		Type M copper, soldered82
Schedule 80 steel, welded 244	drinking water	with run and branch, galvanized
Type K copper, brazed 40	expansion	steel
Type K copper, soldered51	fiberglass	Terminal box controller
Type L copper, brazed59	greywater	Terminal boxes, air balancing 402
Type L copper, soldered68	heat/cool	Test caps
Type M copper, brazed77	holding	ABS DWV152
Type M copper, soldered86	line voltage	copper, DWV, soldered148
Subcontract	low voltage	Test plugs, PVC sewer, bell
change order	plastic	& spigot
forms	polyethylene	Test tees, copper, DWV, soldered148
Submersible pump	septic415-416	Theaters, HVAC estimates 437
Submittal data	115	
	sewage	Thermometers with wells
Submittal index	sewage	Thermometers with wells pipe and plumbing specialty 126

PVC, Schedule 80 109	thermometers with wells41	strainers	
Schedule 10 steel, roll-grooved279	unions	tees	
Schedule 40 steel, cut-grooved285	valves39-41	thermometers with wells	69
Schedule 40 steel, roll-grooved271	Type K copper pipe, soldered43-44	unions	66
Schedule 40 steel, threaded232	adapters	valves	
Schedule 40 steel, welded 222	bolt and gasket sets	Type M copper pipe, brazed	71-72
Schedule 80 steel, threaded254	bushings48	adapters	74
Schedule 80 steel, welded 245	caps	bolt and gasket sets	78
Schedule 160 steel264	companion flanges 51	bushings	75
Type K copper, brazed	couplings	caps	75
Type K copper, soldered52	ells44-45	couplings	75
Type L copper, brazed60	hanger assemblies	ells	72
Type L copper, soldered69	pressure gauges52	hanger assemblies	79
Type M copper, brazed78	pressure/temperature taps	pressure gauges	78
Type M copper, soldered87	reducers	pressure/temperature taps	78
Thermostats, heat pump312	riser clamps52	reducers	74
Threadolets	strainers	riser clamps	79
pipe and plumbing specialty134	tees	strainers	
Schedule 40 steel, welded 218	thermometers with wells52	tees	
Schedule 80 steel, welded 242	unions48	thermometers with wells	78
Schedule 160 steel, welded 262	valves49-51	unions	75
Tier IV	Type K & L copper pipe,	valves	76-78
Timer, fan327		Type M copper pipe, soldered .	80-81
Tin solder	coupling90	adapters	
Toilet	ells89	bolt and gasket sets	
disconnect	flange adapter90	bushings	
removal	reducers	caps	
Tools	tees	companion flanges	
Trailers, office, rental420	valves	couplings	
Transceiver	Type L copper pipe, brazed53-54	ells	81-82
Trap primers, installation costs435	adapters	hanger assemblies	
Traps with bushing connections26	bolt and gasket sets 60	pressure gauges	87
Traps, steam	bushings57	pressure/temperature taps	87
Treatment tank	cap	reducers	
Triple duty valves120	companion flanges 60	riser clamps	
Trucks, rental	couplings	strainers	
Tub	ells54	tees	
disconnect	hanger assemblies 61	thermometers with wells	
removal432	pressure gauges60	unions	84
Tub and shower combinations28	pressure/temperature taps 61	valves	85-87
Tube-axial fan325	reducers		
Turning vanes	riser clamps61		
Tutorial5	strainers	U	
Type I and II PVC	tees	LI holts, galvanized	12/
pipe91-92, 101-102	thermometers with wells60	U-bolts, galvanized	124
Type K copper pipe, brazed33-34	unions57		25
adapters	valves58-60	disinfection	
bolt and gasket sets	Type L copper pipe, soldered62-63	water treatment	
bushings	adapters	Underground piping, PVC	138
caps	bolt and gasket sets 69	Unions	100
companion flanges	bushings66	dielectric	
couplings38	caps66	PVC, Schedule 80	
ells	companion flanges 69		
hanger assemblies	couplings66	Schedule 40 steel, threaded .	
pressure gauges41	ells	Schedule 40 steel, welded	
pressure/temperature taps	hanger assemblies	Schedule 80 steel, threaded .	
reducers	pressure gauges69	Schedule 80 steel, welded	
riser clamps42	pressure/temperature taps 69	Schedule 160 steel, threaded	
strainers	reducers	Schedule 160 steel, welded	
tees	riser clamps70	Type K copper, brazed	

Type K copper, soldered48	Schedule 80 steel, threaded253	Water hammer arresters
Type L copper, brazed57	Schedule 80 steel, welded 245	Water heaters
Type L copper, soldered66	Schedule 160 steel, flanged263	commercial
Type M copper, brazed75	solenoid	connections21
Type M copper, soldered84	solvent weld	estimating
Unit heaters210, 303	sprinkler system	residential
connections	supervision, flanged	solar
demolition	supervision, grooved171	tankless20
gas fired	tags421	tankless indirect
hot water301	triple duty	Water meters
HVAC connections	Type K copper, brazed 40	by-pass and connection
removal	Type K copper, soldered50	assembly119
steam	Type L copper, brazed 60	compound type
Upblast ventilation330	Type L copper, soldered67-69	
Updates5	Type M copper, brazed 76-78	turbine type
Urinals	Type M copper, soldered85-87	Water motor gong
disconnect	Vane-axial fan	Water pump
estimating435	Vans, storage, rental	Water softener
Using this book	Variable-air volume	accessories
Utility fan	cooling units	Water softening systems, boiler198
UV disinfection unit	reheat units	Water source heat pump 307-308
	Vent systems	Water storage tank416
	cast iron, hub & spigot	Water wells, drilling
V	cast iron, no-hub141	Watertube boilers188
	copper	Weekly rental, equipment
Vacuum breakers120, 204	PVC, DWV	Welding machines, rental420
atmospheric	Ventilation	Weldolets
hose connection	ductwork	pipe and plumbing specialty134
Value engineering	exhausters329	Schedule 40 steel, welded 218
Valves	fans	Schedule 80 steel, welded 241
air admittance	Ventilator, heat recovery	Schedule 160 steel, welded 261
alarm	Vents, air	Wells
check, flanged	Verantis	drilling316
check, grooved	Victaulic roll-grooved fittings177-179	geothermal
control	violatino ron grooved manigo 11177 176	pipe314
double check detector		water pump313
dry	W - X- Y - Z	Well-to-well heat pump307-308
fire protection		Wheel, heat recovery
PE-AL pipe114, 118	Wall exhauster	Wireless transceiver
PEX-AL pipe114, 118	Wall fan	Wyes
pipe and plumbing	Wash fountains, installation costs .435	ABS151-152
specialty126-128, 133	Waste heat controls203	cast iron, hub & spigot143-144
PVC, Schedule 4096-99	Waste systems	cast iron, no-hub
PVC, Schedule 80106-109	cast iron, hub & spigot	class 150 cast iron
PVC, threaded	cast iron, no-hub141	
PVC, Tru-union	copper146	class 153 DI, cement lined408
PVC, union type, solvent	PVC154	class 153 DI, double cement
weld	PVC, DWV	lined
removal	Water closets	class 2400 or 3000 asbestos
Schedule 40 steel,	disconnect	cement
cut-grooved	estimating	copper, DWV, soldered147
Schedule 40 steel, roll-grooved271	Water coil piping	polypropylene pipe
Schedule 40 steel, threaded232	Water connections, hot and cold26	PVC, DWV
Schedule 40, welded	Water cooled chiller connection211	PVC sewer, bell & spigot160-162

Practical References for Builders

Basic Plumbing with Illustrations, Revised

This completely revised edition brings this comprehensive manual fully up-to-date with all the latest plumbing codes. It is the journeyman's and apprentice's guide to installing plumbing, piping, and fixtures in residential and light commercial buildings: how to select the right materials, lay out the job and do professional-quality plumbing work, use essential tools and materials, make repairs, maintain plumbing systems, install fixtures, and add to existing systems. Includes extensive study questions at the end of each chapter, and a section with all the correct answers.

384 pages, 8½ x 11, \$36.00

Construction Contract Writer



Relying on a "one-size-fits-all" boilerplate construction contract to fit your jobs can be dangerous — almost as dangerous as a handshake agreement. Construction Contract Writer lets you draft a contract in minutes that precisely fits your needs and the particular job, and

meets both state and federal requirements. You just answer a series of questions — like an interview — to construct a legal contract for each project you take on. Anticipate where disputes could arise and settle them in the contract before they happen. Include the warranty protection you intend, the payment schedule, and create subcontracts from the prime contract by just clicking a box. Includes a feedback button to an attorney on the Craftsman staff to help should you get stumped — *No extra charge*. **\$99.95**. Download the *Construction Contract Writer* at

http://www.constructioncontractwriter.com

CD Estimator

If your computer has Windows[™] and a CD-ROM drive, CD Estimator puts at your fingertips over 150,000 construction costs for new construction, remodeling, renovation & insurance repair, home improvement, framing & finish carpentry, electrical, concrete & masonry, painting, earthwork and heavy equipment and plumbing & HVAC. Quarterly cost updates are available at no charge on the Internet. You'll also have the National Estimator program — a stand-alone estimating program for Windows[™] that Remodeling magazine called a "computer wiz," and Job Cost Wizard, a program that lets you export your estimates to QuickBooks Pro for actual job costing. A 60-minute interactive video teaches you how to use this CD-ROM to estimate construction costs. And to top it off, to help you create professional-looking estimates, the disk includes over 40 construction estimating and bidding forms in a format that's perfect for nearly any Windows[™] word processing or spreadsheet program. CD Estimator is \$108.50

Plumber's Handbook Revised

This new edition shows what will and won't pass inspection in drainage, vent, and waste piping, septic tanks, water supply, graywater recycling systems, pools and spas, fire protection, and gas piping systems. All tables, standards, and specifications are completely up-to-date with recent plumbing code changes. Covers common layouts for residential work, how to size piping, select and hang fixtures, practical recommendations, and trade tips. It's the approved reference for the plumbing contractor's exam in many states. Includes an extensive set of multiple-choice questions after each chapter, with answers and explanations in the back of the book, along with a complete sample plumber's exam.

352 pages, 8½ x 11, \$41.50

Building Code Compliance for Contractors & Inspectors

Have you ever failed a construction inspection? Have you ever dealt with an inspector who has his own interpretation of the Code and forces you to comply with it? This new book explains what it takes to pass inspections under the 2009 International Residential Code. It includes a Code checklist – with explanations and the Code section number – for every trade, covering some of the most common reasons why inspectors reject residential work. The author uses his 30 years' experience as a building code official to provide you with little-known information on what code officials look for during inspections. 232 pages, 8½ x 11, \$32.50

Plumber's Exam Preparation Guide

Hundreds of questions and answers to help you pass the apprentice, journeyman, or master plumber's exam. Questions are in the style of the actual exam. Gives answers for both the Standard and Uniform plumbing codes. Includes tips on studying for the exam and the best way to prepare yourself for examination day. 320 pages, 8½ x 11, \$34.00

Planning Drain, Waste & Vent Systems

How to design plumbing systems in residential, commercial, and industrial buildings. Covers designing systems that meet code requirements for homes, commercial buildings, private sewage disposal systems, and even mobile home parks. Includes relevant code sections and many illustrations to guide you through what the code requires in designing drainage, waste, and vent systems. 202 pages, 8½ x 11, \$29.95

National Construction Estimator

Current building costs for residential, commercial, and industrial construction. Estimated prices for every common building material. Provides manhours, recommended crew, and gives the labor cost for installation. Includes a CD-ROM with an electronic version of the book with *National Estimator*, a stand-alone *Windows*TM estimating program, plus an interactive multimedia video that shows how to use the disk to compile construction cost estimates. **672 pages, 8½ x 11, \$72.50. Revised annually**

Contractor's Guide to the Plumbing Code

This new publication by ICBO explains the 2003 International Plumbing Code in plain English. It's filled with illustrations and figures to help contractors meet code on all plumbing work. Covers history of the code, conventional DWV systems, cost factors that may affect plumbing design and much more. 112 pages, 8½ x 11, \$26.25

Contractor's Guide to QuickBooks 2012

QuickBooks 2012 has many new features that simplify a building contractor's bookkeeping work. You'll wonder how you managed without them. To help you make the most of these new features, or to make getting set up with QuickBooks almost painless, this user-friendly manual walks you through QuickBooks' detailed setup procedure and explains step-by-step how to create a first-rate accounting system. You'll learn in days, rather than weeks, how to use QuickBooks to get your contracting business organized, with simple, fast accounting procedures. But setting up QuickBooks from scratch can be time-consuming. On the free download included with purchase of the book you'll find a QuickBooks file preconfigured for a construction company. Open it, enter your company's data, add info on your suppliers, subs and customers, and you're up and running. The setup's done for you. 288 pages, 8½ x 11, \$58.50

See checklist for other available editions.

Code Check Plumbing & Mechanical, 4th Edition

Save time, money, and potential delays for code violations. Code Check Plumbing & Mechanical is an essential reference guide, providing reliable information on up-to-date residential plumbing and mechanical codes. This handy guide, cross-referenced to the current International Residential Code, Uniform Plumbing Code, and Uniform Mechanical Code, provides answers to hundreds of commonly-asked plumbing questions. This spiral-bound book, in easy-to-use flip chart format, and with durable laminated pages, easily withstands abuse on the jobsite. It's specifically designed for quick on-site reference, and summarizes national code specifications. It includes 116 drawings and 45 tables to answer questions on the plumbing code in force anywhere in the U.S. **49 pages, 8½ x 11, \$24.95**

Plumbing & HVAC Manhour Estimates

Hundreds of tested and proven manhours for installing just about any plumbing and HVAC component you're likely to use in residential, commercial, and industrial work. You'll find manhours for installing piping systems, specialties, fixtures and accessories, ducting systems, and HVAC equipment. If you estimate the price of plumbing, you shouldn't be without the reliable, proven manhours in this unique book.

224 pages, 5½ x 8½, \$28.25

Construction Forms for Contractors

This practical guide contains 78 practical forms, letters and checklists, guaranteed to help you streamline your office, organize your jobsites, gather and organize records and documents, keep a handle on your subs, reduce estimating errors, administer change orders and lien issues, monitor crew productivity, track your equipment use, and more. Includes accounting forms, change order forms, forms for customers, estimating forms, field work forms, HR forms, lien forms, office forms, bids and proposals, subcontracts, and more. All are also on the CD-ROM included, in Excel spreadsheets, as formatted Rich Text that you can fill out on your computer, and as PDFs. **360 pages**, **8½ x 11, \$48.50**

day. **320 pages, 8½ x 11, \$34.00** computer, and as PDFs. **360 pages, 8½ x 11, \$48.50** Buy similar Craftsman Book Co. titles here: https://www.Craftsman-Book.com

Residential Construction Performance Guidelines, 4th Ed.

Created and reviewed by more than 300 builders and remodelers, this guide gives cut-and-dried construction standards that should apply to new construction and remodeling. It defines corrective action necessary to bring all construction up to standards. Standards are listed for sitework, foundations, interior concrete slabs, basement and crawl spaces for block walls and poured walls, wood-floor framing, beams, columns and posts, plywood and joists, walls, wall insulation, windows, doors, exterior finishes and trim, roofs, roof sheathing, roof installation and leaks, plumbing, sanitary and sewer systems, electrical, interior climate control, HVAC systems, cabinets and countertops, floor finishes and more. Published by NAHB Remodelers Council. 120 pages, 61/2 x 81/2, \$44.95

Estimating Home Building Costs, Revised

Estimate every phase of residential construction from site costs to the profit margin you include in your bid. Shows how to keep track of man hours and make accurate labor cost estimates for site clearing and excavation, footings, foundations, framing and sheathing finishes, electrical, plumbing, and more. Provides and explains sample cost estimate worksheets with complete instructions for each job phase. This practical guide to estimating home construction costs has been updated with digital Excel estimating forms and worksheets that ensure accurate and complete estimates for your residential projects. Enter your project information on the worksheets and Excel automatically totals each material and labor cost from every stage of construction to a final cost estimate worksheet. Load the enclosed CD-ROM into your computer and create your own estimate as you follow along with the step-by-step techniques in this book.

336 pages, 8½ x 11, \$38.00 **Pipe & Excavation Contracting Revised**

This popular manual has been updated and improved to bring it more current with modern earthmoving and trenching equipment, refined excavation techniques, stricter safety rules, and improved materials. Shows how to read plans and compute quantities for both trench and surface excavation, figure crew and equipment productivity rates, estimate unit costs, bid the work, and get the bonds you need. Learn how to choose the right equipment for each job, use GPS, how to lay all types of water and sewer pipe, work on steep slopes or in high groundwater, efficiently remove asphalt and rock, and the various pipe, joints and fittings now available. Explains how to switch your business to excavation work when you don't have pipe contracts, and how to avoid the pitfalls that can wipe out your profits on any job. 328 pages, 8½ x 11, \$35.00

Craftsman Book Company

66.75 Contractor's Guide to the Building Code

6058 Corte del Cedro

Insurance Restoration Contracting: Startup to Success

Insurance restoration - the repair of buildings damaged by water, fire, smoke, storms, vandalism and other disasters - is an exciting field of construction that provides lucrative work that's immune to economic downturns. And, with insurance companies funding the repairs, your payment is virtually guaranteed. But this type of work requires special knowledge and equipment, and that's what you'll learn about in this book. It covers fire repairs and smoke damage, water losses and specialized drying methods, mold remediation, content restoration, even damage to mobile and manufactured homes. You'll also find information on equipment needs, training classes, estimating books and software, and how restoration leads to lucrative remodeling jobs. It covers all you need to know to start and succeed as the restoration contractor that both homeowners and insurance companies call on first for the best jobs. 640 pages, 8½ x 11, \$69.00

Journeyman Electrician's Preparation & Study Guide

This is not only a great study guide filled with sample electrician's exam questions – it teaches you how to quickly turn to the code section that answers the questions. Most electrician's exams give you about 2 minutes per question – not enough time to browse through 800 pages of fine print looking for each answer. This manual, based on the 2008 and 2011 NEC editions, explains how the Code is organized, so you understand where the information you need is located. Then it shows how to rearrange and tab your copy of the Code to streamline your search efforts. Next, you learn a step-by-step search procedure, in which you're shown how to analyze the question to determine its subject, know where to look in the index, find the exact article, then turn right to the Code section that answers your question. 96 pages, 81/2 x 11, \$34.00

Contractor's Guide to the Building Code

Explains in plain, simple English just what the 2006 International Building Code and International Residential Code require. Building codes are elaborate laws, designed for enforcement; they're not written to be helpful howto instructions for builders. Here you'll find down-to-earth, easy-to-understand descriptions, helpful illustrations, and code tables that you can use to design and build residential and light commercial buildings that pass inspection the first time. Written by a former building inspector, it tells what works with the inspector to allow cost-saving methods, and warns what common building shortcuts are likely to get cited. Filled with the tables and illustrations from the IBC and IRC you're most likely to need, fully explained, with examples to guide you. Includes a CD-ROM with the entire book in PDF format, with an easy search feature. 406 pages, 81/2 x 11, \$66.75

P.O. Box 650 Carlsbad, C.		Fax (760) 438-0398
(8)		
Name		
e-mail address (for order track	ing and special offers)	
Company		
Address		
City/State/Zip	O This i	s a residence
Total enclosed		(In California add 7.25% tax)
We pay shipp	oing when your chec	ck covers your order in full.
1	Download free	construction contracts leas

24 hour order line

In A Hurry?

We accept phone orders charged to your O Visa, O MasterCard, O Discover or O American Express

Card#	
Exp. date	_Initials

Tax Deductible: Treasury regulations make these references tax deductible when used in your work. Save the canceled check or charge card statement as your receipt.

Order online: www.craftsman-book.com

Free on the Internet! Download any of Craftsman's estimating databases for a 30-day free trial! www.craftsman-book.com/downloads

Download free construction contracts legal for your state at: www.construction-contract.net

	10-Day Money Back Guarantee	Prices subject to change without notice
0	36.00 Basic Plumbing with Illustrations, Revised	O 26.25 Contractor's Guide to the Plumbing Code
0	32.50 Building Code Compliance for Contractors & Inspectors	O 38.00 Estimating Home Building Costs, Revised
О	108.50 CD Estimator	O 69.00 Insurance Restoration Contracting: Startup to Success
0	24.95 Code Check Plumbing & Mechanical, 4th Edition	34.00 Journeyman Electrician's Preparation & Study Guide
О	48.50 Construction Forms for Contractors	O 72.50 National Construction Estimator w/FREE Natl Estimator on a CD
О	58.50 Contractor's Guide to QuickBooks 2012	O 35.00 Pipe & Excavation Contracting
О	57.00 Contractor's Guide to QuickBooks Pro 2010	O 29.95 Planning Drain, Waste & Vent Systems
О	56.50 Contractor's Guide to QuickBooks Pro 2009	O 34.00 Plumber's Exam Preparation Guide
О	54.75 Contractor's Guide to QuickBooks Pro 2008	O 41.50 Plumber's Handbook Revised
О	53.00 Contractor's Guide to QuickBooks Pro 2007	O 28.25 Plumbing & HVAC Manhour Estimates
О	49.75 Contractor's Guide to QuickBooks Pro 2005	 44.95 Residential Construction Performance Guidelines, 4th Ed.
0	48.50 Contractor's Guide to QuickBooks Pro 2004	O 73.25 National Plumbing & HVAC Estimator w/FREE Natl Estimator on a CD

O FREE Full Color Catalog